## Money Back Guarantee


Vendor: IBM

Exam Code: 000-273

**Exam Name:** IBM Business Process Manager Advanced V8.0 Integration Development

Version: Demo

1.An integration developer has configured a BPEL business process for a customer, as shown below:



What behavior will the integration developer observe when executing the flow?

A.It is possible for both Snippet2 and Snippet3 to execute.

B.The execution order of the links entering Snippet2 and Snippet3 has no impact on the process flow.

C.The gateway leading into Snippet5 will cause an error because there is a deadlock in the process flow. D.The gateway leading into Snippet4 will cause an error because the link exiting Snippet2 has no condition.

Answer: C

2.An integration developer registers two Process Centers with each other and needs to share a child toolkit 'TK-Child' while preserving the dependency with its parent toolkit 'TK-Parent'.How should a integration developer accomplish this? Set Snapshot status of:

A.TK-Child to 'New' and share it with other Process Centers

B.TK-Child to 'Released' and share it with other Process Centers

C.TK-Parent to 'Released', TK-Child to 'New' and share both toolkits with other Process Centers D.TK-Parent to 'Released', TK-Child to 'Released' and share both toolkits with other Process Centers Answer: D

3.A client requires that a new BPEL process return a fault message to the requester in case the process does not complete correctly. The integration developer has added a fault handler to the process to catch all exceptions. How should the integration developer return the fault message?


A.Use a throw activity of a business fault.

B.Use a reply activity using a standard fault.

C.Use a reply activity using a business fault defined in the interface.

D.Use a rethrow activity in the fault handler on the process scope using a fault defined in the interface. Answer: C


4.An integration developer has implemented the business process shown in the exhibits below.



eceive						
	$\mathbf{J}$ P <r(nor th="" •<=""><th>1Compooent1!</th><th>nterfacell se</th><th></th><th></th><th></th></r(nor>	1Compooent1!	nterfacell se			
Oc:tails	tnte•fac-e;•	co onetlt				
Serv«-	Qpctation:*	opNatlonl	1-1			
<b>A atim</b> x<℃M⊴ln	121Y.s:e data type	e variables mapplr	q			
			11\1••	IS <>	rtoV ble	
n∖en	Ol1nP <ts< td=""><td>]ii&gt;P<t1< td=""><td>w;.g</td><td>11</td><td>iiputl</td><td></td></t1<></td></ts<>	]ii>P <t1< td=""><td>w;.g</td><td>11</td><td>iiputl</td><td></td></t1<>	w;.g	11	iiputl	
vrtl'lon l>'						
<il0b61evett setunos<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td></il0b61evett>						

til S <u>nipp</u> et • Sn	ippetA (SnippetA)
0 e:scnpl:\on Deblib Strvt	Read-Only Vuia Seled the vanables th;,i are vinble to this Java snippet as read-only tiables. fd
Admin1stratiljf1	Select, III j 'hrAu]

Description	O ⊻sual O gava
Details	/*@bpe.readOnlyVariables names="aString"*/
Server	output1 = "HODIFIED";
Administration	aString = "HODIFIED"; if ( input1.length() != 0 ) (
Exit Condition	throw new IllegalArgumentException();
Performance	
Expiration	
Environment	
Event Monitor	
Global Event Settings	



If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the LogSnippet snippet write to System.out? If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the LogSnippet snippet write to System.out? If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the LogSnippet snippet write to System.out? If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the System.out? If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the LogSnippet snippet write to System.out?

A.output1=ORIGINAL :: aString=ORIGINAL B.output1=ORIGINAL :: aString=MODIFIED C.output1=MODIFIED :: aString=ORIGINAL D.output1=MODIFIED :: aString=MODIFIED Answer: C

5.An integration developer is planning to create a BPEL process to help with the management of customer requests. The developer is intending to use a short-running process for the implementation because it has been determined that the performance of the process is a high priority, but the process must also be able to compensate for changes to the customer's request. What approach should the integration developer take while implementing this process?

A.Implement the short-running process as planned, but call the appropriate compensation activity from a fault handler in the process.

B.Implement the short-running process as planned, but associate an undo-operation with the appropriate

invoke activity in the process.

C.Since compensation is not supported in short-running processes, implement a long-running process using compensation pairs.

D.Since compensation is not supported in short-running processes, use a compensation handler and a compensation pair together in the

log-running process

Answer: B

6.An integration developer is planning to create a BPEL process which will invoke an external service. It was determined that the service will be required to run in its own transaction and will be invoked synchronously by the BPEL. The integration developer immediately configures an SCA import in the Assembly Diagram to satisfy these requirements, generates the skeleton BPEL process, and passes the project on to a colleague to complete the BPEL implementation. While completing the implementation of the BPEL, what must the integration developer's colleague consider in the configuration of the Invoke activity used for calling the external service?

A.No time should be spent on the transactional behavior attribute for the Invoke activity because the setting will be ignored for this service.

B.No time should be spent on the transactional behavior attribute for the Invoke activity because the behavior will be determined by the internal

implementation of the service.

C.Great care should be taken when selecting a setting for the transactional behavior attribute for the Invoke activity in the BPEL because this

behavior cannot be set the the Assembly diagram.

D.Great care should be taken when selecting a setting for the transactional behavior attribute of the Invoke activity because the settings made in

the BPEL will override the settings previously made in the Assembly Diagram.

Answer: A

7.An integration developer has configured a BPEL business process for a customer, as shown below:

0
Receive
ParallelActivities
Assign1
<u> </u>
Snippet1
Assign2
Reply
() ()

Assume that the transaction behavior of both snippets is Commit After.What behavior will the integration developer observe when executing the flow? Snippet1 and Snippet2 will run in:

A.separate parallel transactions.A.separate parallel transactions.

B.separate sequential transactions.B.separate sequential transactions.

C.a single transaction separate from the transaction running Assign2.C.a single transaction separate from the transaction running Assign2.

D.a single transaction separate from the transaction running Assign1.D.a single transaction separate from the transaction running Assign1.

Answer: B

8.An integration developer needs to design a Web Services Description Language (WSDL) interface containing an operation that has an input of type Client.An existing WSDL file containing the Client data type has been imported into a library using IBM Integration Designer.The Client type cannot be used in the interface editor, although it is in the project data folder and shown by the Business Object Editor.Which option states why the integration developer sees this behavior?

A.The XML schema for the Client data type is not available.

B.The Client data type is in a different namespace than the new interface.

C.The WSDL file must be in a separate project library and referenced by the library project.

D.The Client data type was included in the WSDL file as an inline schema and was not extracted when imported.

Answer: D

9.An integration developer has begun a new project by organizing a business solution as shown below:

S = 0 0 = 3	2 BusinessModule 1 Dep	endences X
all resources>	State State	
1 BusinessModule 1	Version	
B Assembly Diagram	▼ Libraries	
- E Dependencies		libraries. If a version is declared for a librar
📇 Integration Logic		
🖯 💭 Data	Name	Required Version
BusinessObject1		in the second
😑 🚇 Interfaces		
Interface 1		
CI Transformations		and the second second second
BusinessModule2	Selection and the second	201 00 CONTRACTOR 100 100
- RS Assembly Diagram		stanti
- integration Logic	Add Remove	Edititi
E Data		
BusinessObject2		
	100	
(I) Interface 1	BusinessModule2 Dep	endencies 23
Interface I		
Transformations	N Varrian	
	Version	
U Transformations	Version     Libraries	
U Transformations U Library 1 C Dependencies	✓ Libraries	libraries. If a version is declared for a libra
Transformations     Library1     G Dependencies     G Integration Logic     Data	✓ Libraries	and and a first of a second structure and a provide brown in the second second structure and a second second s
Transformations Ubrary1  Dependencies Integration Logic Data BusinessObject2	<ul> <li>Libraries</li> <li>Configure the required</li> <li>Name</li> </ul>	libraries. If a version is declared for a libra
Transformations Ubrary 1 Dependencies Integration Logic Data Data BusinessObject2 Interfaces	✓ Libraries Configure the required	and and a the state of the second
Transformations Ubrary 1 Dependencies Integration Logic Data Data BusinessObject2 Interfaces Interface3	<ul> <li>Libraries</li> <li>Configure the required</li> <li>Name</li> </ul>	and and a the state of the second
<ul> <li>Transformations</li> <li>Library 1</li> <li>Dependencies</li> <li>Integration Logic</li> <li>Data</li> <li>BusinessObject2</li> <li>Interfaces</li> <li>Interface3</li> <li>Transformations</li> </ul>	<ul> <li>Libraries</li> <li>Configure the required</li> <li>Name</li> </ul>	and and a the state of the second
Transformations Ubrary 1 Dependencies Integration Logic Data BusinessObject2 SINTerface3 Transformations MediationModule 1	<ul> <li>Libraries</li> <li>Configure the required</li> <li>Name</li> </ul>	and and a first of a second structure and a provide brown in the second second structure and a second second s
Transformations Library 1 Dependencies Data Data DusinessObject2 Data Dinterface3 Transformations MediationModule 1 Assembly Diagram	<ul> <li>Libraries</li> <li>Configure the required</li> <li>Name</li> </ul>	and and a first of a second structure and a provide brown in the second second structure and a second second s
Transformations Library 1 Dependencies Data Data BusinessObject2 Data Dinterface3 Transformations MediationModule 1 Assembly Diagram Dependencies	Libraries Configure the required Name Library1	libraries. If a version is declared for a libraries
Transformations Library 1 Dependencies Data Data DusinessObject2 Data Dinterface3 Transformations MediationModule 1 Assembly Diagram	Libraries Configure the required Name Library1	Required Version
Transformations Library 1 Dependencies Data Data BusinessObject2 Data	Libraries Configure the required Name Library1	Required Version

What should the integration developer take into account when continuing to develop the business solution? The integration developer will be able to create a:

A.BPEL process in Library1 using Interface3A.BPEL process in Library1 using Interface3

B.BPEL process in BusinessModule1 using Interface3B.BPEL process in BusinessModule1 using Interface3

C.mediation flow in MediationModule1 using Interface1C.mediation flow in MediationModule1 using Interface1

D.mediation flow in BusinessModule2 using Interface3 D.mediation flow in BusinessModule2 using Interface3

Answer: D

10.Due to performance considerations, an integration developer needs to ensure the number of transactions in a long-running process are kept to a minimum.Which option does the integration

developer need to select for the transactional behavior setting of this activity? A.Participates B.Requires Own C.Commit After D.Commit Before Answer: A To Read the Whole Q&As, please purchase the Complete Version from Our website.

## **Trying our product !**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:

100%



One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email. Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Security & Privacy

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.