

Vendor: Novell

Exam Code:050-708

Exam Name: SUSE Linux Enterprise Desktop 10

Administration

Version: Demo

QUESTION 1 What is the default setting for umask on SUSE Linux Enterprise Desktop 10? A. 000 B. 022 C. 044 D. 055 E. 066 F. 077 Correct Answer: B **QUESTION 2** Which command will list hidden files in a directory for a normal user? A. Is B. Is -a C. Is -h D. Is -I E. ls -u Correct Answer: B **QUESTION 3** When you set up NFS and save the client setting, where are those settings saved to? A. /etc/fstab B. /var/fstab C. /dev/fstab D. /root/fstab E. /sbin/fstab

Correct Answer: A

QUESTION 4

How can you switch between virtual terminals on your computer?

- A. Fx
- B. SHFT-Fx
- C. CTRL-Fx
- D. CTRL-ALT-Fx
- E. The TAB key

Correct Answer: D

QUESTION 5

If you want to run a job one time only, you can use the at command. Which files determine which users can run this command?

- A. /etc/at.allow and /etc/at.deny
- B. /sys/at.allow and /sys/at.deny
- C. /usr/at.allow and /usr/at.deny
- D. /var/at.allow and /var/at.deny
- E. /root/at.allow and /root/at.deny
- F. /home/at.allow and /home/at.deny

Correct Answer: A

QUESTION 6

Click the Point-and-Click button to begin.

Click on the icon or option that will allow you to add print drivers in a Novell iPrint environment.

Hot Area:



Correct Answer:



If you are logged in as root, what command can you enter from a terminal window to start the YaST printer configuration module?
A. printer
B. yast cups
C. yast2 cups
D. yast2 printer
E. print-manager
F. gnome-cups-manager
Correct Answer: D
QUESTION 8
When configuring an SSH server, where is the configuration file stored?
A. /lib/ssh/sshd_config
B. /bin/ssh/sshd_config
C. /etc/ssh/sshd_config
D. /root/ssh/sshd_config
E. /sbin/ssh/sshd_config
Correct Answer: C
QUESTION 9
The IPP protocol for CUPS uses which port?
A. 35
B. 137
C. 139
D. 515
E. 631
Correct Answer: E

QUESTION 10
Which file contains the configuration for sudo?
A. /etc/su.conf
B. /etc/sudoers
C. /etc/sudo.conf
D. /var/log/messages
E. /etc/sysconfig/sudo
Correct Answer: B
QUESTION 11
If nice is used without a specific value, what nice value is a process started with?
A20
B. 0
C. +5
D. +10
E. +19
Correct Answer: D
QUESTION 12
With CUPS, each print queue is registered with its name in which file?
A. /etc/cups/printers.conf
B. /proc/cups/printers.conf
C. /home/cups/printers.conf
D. /var/spools/cups/printers.conf
E. /srv/spools/cups/printers.conf

Correct Answer: A