

Exam : **310-220**

Title : Sun Certified Developer for
Java Web Services

Version : DEMO

1. Which connection mode allows a JAX-RPC client to make a Web service method call and then continue processing in the same thread, without waiting for a response?

- A. call-back
- B. solicit-response
- C. request-response
- D. non-blocking RPC

Answer: D

2. Which three are true about JAX-RPC Web services? (Choose three.)

- A. EJB based endpoints can use container-managed transactions.
- B. Servlet-based endpoints can use container-managed transactions.
- C. Client-initiated transactions are propagated to EJB based endpoints.
- D. EJB based endpoints can programmatically demarcate transactions.
- E. Client-initiated transactions are propagated to Servlet-based endpoints.
- F. Servlet-based endpoints can programmatically demarcate transactions.

Answer: ADF

3. When working with EJB based endpoints, which is true?

- A. They must use JAAS.
- B. They can use message handlers.
- C. They must use message handlers.
- D. They cannot use message handlers.

Answer: B

4. A developer is given a WSDL for an existing Web service. What is the correct sequence of steps that should be taken to use that Web service?

- A. parse the WSDL using JAXP, connect to the service using RMI, and then parse the XML using SAX
- B. generate stubs and interfaces using JAXM, bind to the stubs, and then call methods on the interface

C. generate stubs and interfaces using JAX-RPC, bind to the stubs, and then call methods on the interface

D. receive the service using RMI, parse the XML using JAXP, create Java objects using JAXR, and then return those Java objects

Answer: C

5. A developer needs to write a Web service that supports user sessions that timeout after 120 seconds. Which configuration file should the developer use?

A. web.xml

B. server.xml

C. ejb-jar.xml

D. service-config.xml

Answer: A

6. A developer creates an endpoint interface for an existing stateless session bean. Which is the correct mapping approach?

A. RMI

B. Handlers

C. WSDL-to-Java

D. Java-to-WSDL

Answer: D

7. According to the WS-I Basic Profile 1.0a, which two messaging styles must be supported? (Choose two.)

A. rpc-literal

B. rpc-encoded

C. point-to-point

D. document-literal

E. publish-subscribe

Answer: AD

8. Given: <message name="InvalidItemID">

```

<part name="ItemID" type="xsd:string"/> </message> <portType name="BidAmount">
<operation name="getHighBid"> <input message="sws:getHighBidRequest"/> <output
message="sws:getHighBidResponse"/>
<fault name="InvalidItemID" message="sws:InvalidItemID"/>
</operation>
</portType>

```

Which endpoint method declaration is generated by this service?

- A. public float getHighBid(String itemID);
- B. public float getHighBid(String itemID) throws InvalidItemID;
- C. public float getHighBid(String itemID) throws RemoteException;
- D. public float getHighBid(String itemID) throws RemoteException, InvalidItemID;

Answer: D

9. Given: `xmlns:xsd="http://schemas.xmlsoap.org/wsdl/" xmlns:book="http://www.sun.com/books"...`
`<xsd:schema targetNamespace="http://www.sun.com/books"> <xsd:element name="bookInfo">`
`<xsd:complexType> <xsd:sequence> <xsd:element name="author" type="xsd:string"/> <xsd:element`
`name="title" type="xsd:string"/></xsd:sequence> </xsd:complexType></xsd:element> </xsd:schema>`
 These namespace aliases and schema appear in the WSDL file for a document-style Web service. Which is a valid message element for this WSDL file?

- A. `<message name="SubmitBookInfoMessage"><part name="bookInfo" type="xsd:bookInfo"/>`
`</message>`
- B. `<message name="SubmitBookInfoMessage"><part name="bookInfo" type="book:bookInfo"/>`
`</message>`
- C. `<message name="SubmitBookInfoMessage"><part name="bookInfo"`
`element="xsd:bookInfo"/></message>`
- D. `<message name="SubmitBookInfoMessage"><part name="bookInfo" element="book:bookInfo"/>`
`</message>`

Answer: D

10. Given the type declaration in a WSDL description for a Web service: `<element`
`name="PurchaseOrder"> <complexType> <sequence><any maxOccurs="1"/> </sequence>`
`</complexType> </element>` The Java code generated by a JAX-RPC service endpoint interface consists
 of a PurchaseOrder JavaBean. Which property should the PurchaseOrder JavaBean contain?

- A. `_any` of type `java.lang.String`
- B. `PurchaseOrder` of type `java.lang.Object`
- C. `complexType` of type `java.lang.Object[]`
- D. `_any` of type `javax.xml.soap.SOAPElement`

Answer: D

11. Given:

1. `public boolean handleRequest(MessageContext context){`
2. `try{`
3. `SOAPMessageContext soapCntxt = (SOAPMessageContext)context;`
4. `SOAPMessage message = soapCntxt.getMessage();`
5. `message.writeTo(logStream);`
6. `}catch(javax.xml.soap.SOAPEXception se){`
7. `throw new javax.xml.rpc.JAXRPCException(se);`
8. `}`
9. `}`The `handleRequest` method (lines 1-9) is implemented by a JAX-RPC handler used for logging. Given that the method encounters an error and throws a `JAXRPCException`, which is true?

- A. If the method is implemented by a client-side handler, it will cause a SOAP fault to be generated.
- B. If the method is implemented by a server-side handler, it will cause a SOAP fault to be generated.
- C. If the method is implemented by a client-side handler, the message will continue to be processed by the handler chain.
- D. If the method is implemented by a server-side handler, the message will continue to be processed by the handler chain.

Answer: B

12. According to UDDI 2.04, which protocol must be used to update, modify, or delete data structures in a UDDI registry?

- A. IIOP
- B. HTTP
- C. SMTP
- D. HTTPS

Answer: D

13. According to the WS-I Basic Profile 1.0a, a conformant WSDL 1.1 portType definition is allowed to use two typeoperations (that is, Message-Exchange Patterns). Which two are allowed? (Choose two.)

- A. one-way
- B. notification
- C. solicit-response
- D. request-response

Answer: AD

14. Which two describe the UDDI Inquiry API? (Choose two.)

- A. It requires user authentication.
- B. It can be used to query the Internet.
- C. It does NOT require user authentication.
- D. It can be used to search a UDDI registry.

Answer: CD

15. Which element is used to define new XML Schema complex types within a WSDL 1.1 document?

- A. types
- B. message
- C. portType
- D. definitions

Answer: A

16. Which is true about WSDL 1.1?

- A. It does NOT recommend a specific type system
- B. It recommends the use of XSD as the type system.
- C. It recommends the use of DTD as the type system.
- D. It recommends the use of XSD and DTD as the type system

Answer: B

17. A company receives orders as XML documents. When the order is received and the XML document is processed, the document instance itself is not needed for further processing. Which technology should the developer use to process the order?

- A. JAXB
- B. JDBC
- C. SAAJ
- D. JAX-RPC

Answer: A

18. A developer has a requirement to extract the XML namespace of an element using SAX2. Which method must be used?

- A. characters
- B. endDocument C. endPrefixMapping
- D. startPrefixMapping

Answer: D

19. Which three describe unmarshal-time validation in JAXB? (Choose three.)

- A. It must be supported by all JAXB implementations.
- B. It is invoked using the `Validator.validate` method.
- C. It is enabled or disabled using the `Unmarshaller.setValidating` method.
- D. It enables an application to receive information about validation errors and warnings that are detected while unmarshalling a Java content tree into XML.
- E. It enables an application to receive information about validation errors and warnings that are detected while unmarshalling XML data into a Java content tree.

Answer: ACE

20. Which is a super type of the `javax.xml.soap.SOAPBody` type?

- A. `java.lang.String`
- B. `org.w3c.dom.Node`
- C. `org.w3c.dom.Document`

D. javax.xml.soap.SOAPEnvelope

Answer: B

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.