

Vendor:Cisco

Exam Code:500-258

Exam Name:Cisco ASA Express Security

Version:Demo

QUESTION 1

Which three action ranges are in the NG IPS profile? (Choose three.)

- A. block only
- B. block and monitor
- C. block and do not monitor
- D. allow only
- E. allow and monitor
- F. allow and do not monitor

Correct Answer: BEF

QUESTION 2

In which two form factors is PRSM available? (Choose two.)

- A. Physical Appliance
- B. Microsoft V-Hyper Virtual Appliance
- C. VMware Virtual Appliance
- D. Citrix XenServer Virtual Appliance
- E. Web Services Application

Correct Answer: AC

QUESTION 3

Datagram Transport Layer Security (DTLS) was introduced to solve performance issues. Choose three characteristics of DTLS. (Choose three.)

- A. It uses TLS to negotiate and establish DTLS connections.
- B. It uses DTLS to transmit datagrams.
- C. It is disabled by default.
- D. It uses TLS for data packet retransmission.
- E. It replaces underlying transport layer with UDP 443.
- F. It uses TLS to provide low-latency video application tunneling.

| Correct | Answer: | ABE |
|---------|---------|-----|
|---------|---------|-----|

QUESTION 4

When the Cisco ASA appliance is processing packets, which action is performed first?

- A. Check if the packet is permitted or denied by the inbound interface ACL.
- B. Check if the packet is permitted or denied by the outbound interface ACL.
- C. Check if the packet is permitted or denied by the global ACL.
- D. Check if the packet matches an existing connection in the connection table.
- E. Check if the packet matches an inspection policy.
- F. Check if the packet matches a NAT rule.

Correct Answer: D

QUESTION 5

When preconfiguring a Cisco AnyConnect profile for the user group, which file is output by the Cisco AnyConnect profile editor?

- A. user.ini
- B. user.html
- C. user.pcf
- D. user.xml

Correct Answer: D

QUESTION 6

Which three elements can an administrator use to control access to network resources through context- aware access policies? (Choose three.)

- A. 5-tuple characteristics
- B. time of day
- C. certificate fields
- D. HTTP client type
- E. application
- F. geo-location data

G. VPN client

Correct Answer: ADE

QUESTION 7

Which three options are characteristics of WebType ACLs? (Choose three.)

- A. They are assigned per-connection profile.
- B. They are assigned per-user or per-group policy.
- C. They can be defined in the Cisco AnyConnect Profile Editor.
- D. They support URL pattern matching.
- E. They support implicit deny all at the end of the ACL.
- F. They support standard and extended WebType ACLs.

Correct Answer: BDE

QUESTION 8

Select and Place:

| Drag the correct three access list entries (from the left) and drop them (on the right) in the or entries are required. | rder that is used when the interface ACL and global ACL are configured. Not all access list |
|---|---|
| implicit deny ip any any global access list rule entry | Target |
| implicit deny ip any any interface access list rule entry | Target |
| implicit permit ip any any interface access listrule entry | Target |
| implicit permit ip any any global access list rule entry | |
| interface access list entries | |
| global access list entries | |
| Implicit permit ip any any from higher security level interface to lower security level interface | |

Correct Answer:

| | interface access list entries |
|---|--|
| mplicit deny ip any any interface access list rule entry | global access list entries |
| mplicit permit ip any any interface access listrule entry | implication ip any any global access list rule entry |
| mplicit permit ip any any global access list rule entry | 35 The second se |
| and a land | |
| and a second | |
| mplicit permit ip any any from higher security level interface to lower security leventerface | el |

QUESTION 9

The Cisco ASA software image has been erased from flash memory. Which two statements about the process to recover the Cisco ASA software image are true? (Choose two.)

- A. Access to the ROM monitor mode is required.
- B. The Cisco ASA appliance must have connectivity to the TFTP server where the Cisco ASA image is stored through the Management 0/0 interface.
- C. The copy tftp flash command is necessary to start the TFTP file transfer.
- D. The server command is necessary to set the TFTP server IP address.
- E. Cisco ASA password recovery must be enabled.

Correct Answer: AD

QUESTION 10

Refer to the exhibit.

failover

failover lan unit primary

failover lan interface MYFAILOVER GigabitEthernet0/2

failover interface ip MYFAILOVER 172.16.5.1 255255.255.0 standby 172.16.5.10

failover link MYFAILOVER GigabitEthernet0/2

failover key cisco123

failover group 1

primary

preempt

failover group 2

secondary

preempt

Which command enables the stateful failover option?

A. failover link MYFAILOVER GigabitEthernet0/2

B. failover lan interface MYFAILOVER GigabitEthernet0/2

C. failover interface ip MYFAILOVER 172.16.5.1 255.255.255.0 standby 172.16.5.10

D. preempt

E. failover group 1 primary

F. failover lan unit primary

Correct Answer: A

QUESTION 11

Which license is required on the Cisco ASA NGFW for an administrator to manage it securely from a remote laptop?

A. AnyConnect Endpoint Assessment

B. AnyConnect Premium

C. AnyConnect for Mobile

D. AnyConnect for Cisco VPN phone

E. Cisco Secure Desktop

Correct Answer: B

QUESTION 12

Which two options are identity policy types? (Choose two.)

- A. known
- B. unknown
- C. active
- D. passive
- E. white-list
- F. black-list

Correct Answer: CD

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.