Exam: A2180-371

Title: Assessment: Web Services

Development for IBM

WebSphere Application

Server V7.0

Version: DEMO

1. Refer to the message in the exhibit.

Replace the ??? in the message with the appropriate namespace.

- A. http://www.w3.org/2003/05/soap-envelope
- B. http://schemas.xmlsoap.org/soap/envelope/
- C. http://schemas.xmlsoap.org/soap12/envelope/
- D. http://schemas.xmlsoap.org/soap11/envelope/

Answer: A

2. A company has a high business value JAX-WS provider Web Service and cannot afford to lose any messages.

What kind of quality of service should be used in conjunction with WS-ReliableMessaging?

- A. Managed persistent
- B. Managed non-persistent
- C. Unmanaged non-persistent
- D. Managed persistent and Transaction (enableTransactionalOneWay)
- E. Managed non-persistent and Transaction (enableTransactionalOneWay)
- F. Unmanaged non-persistent and Transaction (enableTransactionalOneWay)

Answer: D

3. The TCP/IP Monitor can be used to check the following:

A. SOAP/JMS

B. HTTP Header

C. WSDL document

D. SOAP messages

E. WS-I Compliance

Answer: BDE

4. A developer used wsimport to generate the skeleton code for a Web service implementation.

What is the purpose of the generated ObjectFactory class?

A. The ObjectFactory class is the generated Service Endpoint Interface class

B. The ObjectFactory class is the generated service provider class that is used by the JAX-WS client.

C. The ObjectFactory class takes the targetNamespace value and creates the directory structure.

D. The ObjectFactory class allows you to programatically construct new instances of the Java

representation for XML content.

Answer: D

5. Which of the following is used to invoke a Web service from an unmanaged client?

A. JAX-WS dispatch API

B. Deployment descriptor

C. @Resource annotation

D. @WebServiceRef annotation

E. Service and Interface classes

Answer: AE

6. A company is migrating their current JAX-WS Web service running on IBM WebSphere Application

Server V6.1 with the Feature Pack for Web Services to V7.0. The company wants to continue to support

V6.1 service consumers.

If the Web service has WS-AtomicTransaction enabled, what settings should be configured to support the

widest range of clients?

A. Set the WS-AtomicTransaction to "Never" in WS-Transaction policy of the policy set

B. Set the WS-AtomicTransaction to "Supports" in WS-Transaction policy of the policy set C.
Set the WS-AtomicTransaction to "Mandatory" in WS-Transaction policy of the policy set D.
Set the "Default WS-Tx specification level" to "1.0" in application policy set bindings
E. Set the "Default WS-Tx specification level" to "1.1" in application policy set bindings

Answer: BD

7. Why would a developer prefer to use SOAP Web services over REST Web services?

A. To provide message level security

B. To allow integration with Web 2.0 applications

C. To be able to use XML to format response messages

D. To be able to use the HTTP or HTTPS transport protocols

Answer: A

8. Which of the following business scenarios is the LEAST appropriate for Web services?

A. Expanding the reach of your company information.

B. Providing transactional services such as credit card payment processing.

C. Making existing services available to a business process to orchestrate services.

D. Enabling interoperability between heterogeneous services to create time-critical solutions.

Answer: D

9. What is the LEAST appropriate scenario for Web services?

A. To integrate legacy systems

B. To propagate security context

C. To expose fine grained operations


D. To use with process choreography

E. For B2B (business to business) applications

Answer: C

10. What is the biggest advantage of using Web services to create SOA solutions?

A. They are implemented using Java and XML



A. Use message level security B. Use fine-grained Web services C. Use document/literal instead of RPC/encoded D. Avoid stale data in the UDDI registry by turning off caching Answer: C 18. An RPC/encoded Web service experiences poor performance at high message volumes. What can a developer do to improve this performance? A. Turn off marshalling B. Use binary encoding C. Use RPC/literal encoding D. Use document/literal encoding E. Redesign to use more granular messaging Answer: CD 19. How can a developer ensure that a fault will occur if the service does not recognize a SOAP header entry containing a transaction number? A. Set the faultCode value to soap:Transaction B. Include a Fault element in the SOAP message C. Include a mustUnderstand attribute in the header entry D. Include a detail element containing application-specific elements according to the XML Schema Answer: C 20. What must be included in a SOAP fault message when an error occurs due to a value in the message Body element? A. A detail element B. A Body fault code C. An application-specific fault code D. A fault string element with a value of "Body"

Answer: A

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.