

Vendor: IBM

Exam Code: C2010-501

Exam Name:IBM Maximo Asset Management V7.5

Infrastructure Implementation

Version: Demo

QUESTION 1

When working with a hardware load balancer in a customer implementation, the hardware load balancer has been configured to point to a web server. What is the implication of this configuration?

- A. The hardware load balancer balances the user load completely.
- B. The hardware load balancer calculates and balances a percentage of the load.
- C. The hardware load balancer does nothing except add another layer of complication.
- D. The hardware load balancer balances the percentage of the load that the web server has been configured to present to it.

Correct Answer: C

QUESTION 2

When building a new IBM Maximo Asset Management V7.5 (Maximo) EAR file and redeploying it to the J2EE server, which process should also be run for a clean J2EE deployment with no remaining effects from previous builds?

- A. restart the J2EE server
- B. delete the old tools.jar file
- C. clear the J2EE server Maximo application cache
- D. restart the Maximo Java Virtual Machine to clear the cache

Correct Answer: D

QUESTION 3

User Access Control can be disabled to permit the IBM Maximo Asset Management V7.5 installation to take which action?

- A. to create log files
- B. to run as administrator
- C. to update the database
- D. to update the maximo.properties file

Correct Answer: D

QUESTION 4

During the IBM Maximo Asset Management V7.5 (Maximo) installation, which security option(s) would be selected for all

users and groups created in the LDAP capable server?

- A. use Maximo internal authentication
- B. use Maximo authorization and LDAP authentication
- C. use application server and LDAP for authentication only
- D. use application server and LDAP for authentication and user/group management

Correct Answer: D

QUESTION 5

Which operating system(s) are supported for the IBM Maximo Asset Management V7.5 installation on the administrative workstation?

- A. Windows
- B. Windows and AIX
- C. Windows and Linux
- D. Windows, AIX, and Linux

Correct Answer: A

QUESTION 6

Which system property is used to capture individual statements that exceed this properly setting?

- A. mxe.mbocount
- B. mxe.db.mboMonitor
- C. mxe.db.logSQLTimeLimit
- D. mxe.db.fetchResultLogLimit

Correct Answer: C

QUESTION 7

What is the correct format for the useAppServerSecurity parameter when enabling Application Server Security in the ibm\SMP\maximo\applications\maximo\maximo\impServerSecurity parameter when enabling Application Server Security in the ibm\SMP\maximo\applications\maximo\impServerSecurity parameter when enabling Application Server Security in the

```
C A <env-entry>
               <description>Indicates whether to use Application Server security or not</description>
               <env-entry-name>useAppServerSecurity</env-entry-name>
               <env-entry-type>java.lang.String</env-entry-type>
               <env-entry-value>1</env-entry-value>
        </env-entry>
 C B. <env-entrv>
               <description>Indicates whether to use Application Server security or not</description>
               <env-entry-name>useAppServerSecurity</env-entry-name>
               <env-entry-type>java.lang.String</env-entry-type>
               <env-entry-value>0</env-entry-value>
        </env-entry>
 C <env-entry>
               <description>Indicates whether to use Application Server security or not</description>
               <env-entry-name>useAppServerSecurity</env-entry-name>
               <env-entry-type>java.lang.String</env-entry-type>
               <env-entry-value>disable</env-entry-value>
        </env-entry>
 C D. <env-entry>
               <description>Indicates whether to use Application Server security or not</description>
               <env-entry-name>useAppServerSecurity</env-entry-name>
               <env-entry-type>java.lang.String
               <env-entry-value>enable</env-entry-value>
        </env-entry>
A. Option A
B. Option B
C. Option C
D. Option D
Correct Answer: A
```

QUESTION 8

What are two ways to change the default search method of IBM Maximo Asset Management (Maximo) fields? (Choose two.)

A. create a trigger on the database column

B. use the Database Configuration application

C. create a constraint on the database column

D. perform mass updates of the maxattribute tables

E. configure the defaults during the Maximo installation

Correct Answer: BD

QUESTION 9

How is a complete IBM Maximo Asset Management V7.5 (Maximo) implementation installation verified?

A. view the output of version.bat

B. view the output of verification.bat

C. view the Maximo installation information

D. view the contents of the deployment engine

Correct Answer: C

QUESTION 10

What does this message in the CTGInstallTrace log mean?

CTGIN2084I: Process automation engine database installation verified successfully. All required schema objects exist.

A. The deployment engine is installed.

B. The solution installer schema is created and verified.

C. The Maximo database is created and ready to be configured.

D. All product packages are copied to the administrative workstation\\'s installation drive.

Correct Answer: C

QUESTION 11

Users can create and save their own queries and can share queries with other users. What should be done in order to reduce the likelihood of queries negatively impacting performance?

A. create efficient default queries

B. periodically truncate the default query table

C. add an Order By clause to inefficient queries

D. remove the text search index on columns called by the query

Correct Answer: A

QUESTION 12

When configuring a LDAP query for the LDAPSYNC cron task, it is important to understand the content of the LDAP structure and how it relates to information in IBM Maximo Asset Management. Which attribute is required to import a user\\'s LDAP information via LDAPSYNC cron task?

A. city

B. postal code

C. street address

D. e-mail address

Correct Answer: D