

**100%** Money Back  
**Guarantee**

**Vendor:**IBM

**Exam Code:**C2180-279

**Exam Name:**IBM Worklight V6.0 Mobile System  
Administration

**Version:**Demo

### QUESTION 1

A developer needs to debug an adapter procedure with the Invoke Worklight Procedure tool. What is required to debug the procedure?

- A. connectivity to the adapter's backend source
- B. a running Jetty server to invoke the procedure
- C. a filtered.xsl file to transform the response from the backend
- D. an application connected to the adapter to view the invocation results

Correct Answer: A

---

### QUESTION 2

The following changes are made to a Worklight mobile application: 1.Web resources of version 1 (v1) are updated and deployed to the Worklight Server. 2.A new version 2 (v2) is deployed with its updateSilently property set to true. What will be the direct update user experience on a device running v1 of the application when the user chooses to receive update?

- A. v1 is uninstalled first followed by a silent installation of v2.
- B. v1 web resources are updated first followed by a silent installation of v2.
- C. v1 web resources are reloaded after the update and the application remains on v1.
- D. The user is prompted to choose between updating v1 or installing v2 in the background.

Correct Answer: C

---

### QUESTION 3

What happens when adapter procedure invocation fails due to inability to reach the Worklight server?

- A. Client side framework will try to invoke the procedure again and again until succeeded
- B. onFailure callback specified in invocation options will be invoked. Developer should use it to treat server connectivity issues
- C. onFailure callback specified in invocation options will be invoked. WL.Events.WORKLIGHT\_IS\_DISCONNECTED event will be fired. Developer should use either to treat server connectivity issues
- D. Client side framework will show an error message with a retry button

Correct Answer: C

---

#### QUESTION 4

A connectivity to Worklight server is only required in order to \_\_\_\_\_.

- A. create a new encrypted cache
- B. open an existing encrypted cache
- C. read/write values to encrypted cache
- D. destroy encrypted cache

Correct Answer: A

---

#### QUESTION 5

A Worklight developer is having trouble with the XSL file that transforms the raw XML feed from a public RSS server into JSON data to be consumed by a mobile application. What is the correct use of Worklight's debugging features to resolve this problem?

- A. Use the adapter's Invoke Worklight Back-end Service tool to edit the XSL file based on the raw XML and corresponding JSON data.
- B. Use the adapter's Invoke Worklight Procedure tool to retrieve the raw XML and corresponding JSON data for comparison with the XSL file.
- C. Use the adapter's Invoke Worklight Back-end Service and Invoke Worklight Procedure tools to compare the raw XML and corresponding JSON data.
- D. Use the adapter's Deploy Worklight Adapter option to deploy the adapter into the Worklight Console, then use the Console's Preview feature to debug the adapter.

Correct Answer: A

---

#### QUESTION 6

Which authenticators are supported out of the box? (Choose three)

- A. Header authentication
- B. Persistent cookie authentication
- C. Form-based authentication
- D. Kerberos authentication

Correct Answer: ABC

---

#### QUESTION 7

A developer is invoking a SQL adapter procedure from a mobile application. The procedure is named getModelByYear

and returns data from a table named Auto as follows:

ID	Make	Model	Year
0	Ford	Focus	2005
1	Buick	Regal	2010
2	Jeep	Liberty	2009
3	Dodge	Caliber	2008

Which option represents the returned data when the procedure is invoked with the parameter 2005?

- A. {  
    'isSuccessful' : true,  
    'resultSet' : { 'Make' : 'Ford', 'Model' : 'Focus' }  
}
- B. {  
    'isSuccessful' : true,  
    'resultSet' : [ { 'Make' : 'Ford', 'Model' : 'Focus' } ]  
}
- C. {  
    'isSuccessful' : true,  
    'resultSet' : { 'Ford', 'Focus' }  
}
- D. {  
    'isSuccessful' : true,  
    'resultSet' : [ { 'Ford', 'Focus' } ]  
}

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

---

### QUESTION 8

Where in the Worklight project structure do Worklight.properties belong?

A. server\conf

B. resources\properties

C. server\lib

D. tomcat\worklight

Correct Answer: A

---

#### QUESTION 9

Which of the following API can be used across all environments to debug Worklight application?

A. console.log

B. console.debug

C. WL.Logger.debug

D. WL.Debugger.log

Correct Answer: C

---

#### QUESTION 10

Is it possible to transfer data between web and native page?

A. Web to native only

B. Native to web only

C. Neither way

D. Both ways

Correct Answer: D

---

#### QUESTION 11

The element of an HTTP adapter that is accessing a back-end RESTful service is defined as follows:

Which additional element must be defined as part of the element?

```
<connectivity>
  <connectionPolicy xsi:type="http:HTTPConnectionPolicyType">
    <protocol>http</protocol>
    <domain>rss.hostname.com</domain>
    <port>80</port>
  </connectionPolicy>
</connectivity>
```

A. element, to define the user credentials

- B. element, to declare the procedures for this adapter
- C. element, to specify the path to the RESTful service and its query parameters
- D. element, to limit the number of concurrent connections to the back- end

Correct Answer: D

---

#### **QUESTION 12**

Is it possible to use an existing JAR in my Worklight adapter?

- A. No, it is not possible
- B. Yes, it is possible. JAR file should to be added to server\lib folder
- C. Yes, it is possible. JAR file should to be copied to Eclipse workspace
- D. Yes, it is possible. JAR file should be added to server\java folder

Correct Answer: B