

100% Money Back
Guarantee

Vendor:IBM

Exam Code:C9550-412

Exam Name:IBM Business Process Management
Express or Standard Edition V8.5.5, BPM Application
Development

Version:Demo

QUESTION 1

A BPM Application developer needs to customize the Process Performance and Team Performance dashboards to meet corporate requirements. To do so, what should BPM application developer do?

- A. Make the dashboards editable in the dashboards toolkit, make the changes, take a new snapshot, and deploy the toolkit.
- B. Clone the most recent snapshot of the Dashboards toolkit, make the changes, take a new snapshot, and deploy the toolkit.
- C. Clone the most recent snapshot of the Process Portal Application, make the changes and deploy the customized Portal Process application.
- D. Create new Process and Team Performance dashboards in a new process application, configure Process Portal to use the new dashboards, and deploy the process application

Correct Answer: B

QUESTION 2

A company has a healthcare enrollments business process that is to be implemented worldwide for all of its employees. Part of the employment process are a set of steps that the company uses in several other business processes. These steps may need to vary depending on the laws of different countries and the plans that are offered in each country. The company wants to have a single process that is followed in every country but needs to be sure that the portion of the process that is subject to local laws will comply with the laws of each country. Which BPM component should the BPM application developer use to meet these requirements?

- A. Subprocess
- B. Linked Process
- C. Dynamic Process
- D. Event Subprocess

Correct Answer: D

QUESTION 3

A BPM application developer has enabled auto-tracking for a car tire production and run the update tracking definitions command in process designer. During a playback, the BPM application developer is asked to rename the auto-tracking group from "at1392376481525" to "tireProduction" and run update tracking definitions again. When building a custom dashboard, what resource should the BPM application developer use to retrieve the data?

- A. The "tireProduction" view for the "tireProduction" table.
- B. The "tireProduction" view for the "at1392376481525" table.
- C. The "at1392376481525" view for the "tireProduction" table.

D. The "at1392376481525" view for the "at1392376481525" table.

Correct Answer: B

QUESTION 4

A BPM Application developer is testing and debugging a recently developed heritage human service:



A service debugger is being used and a JavaScript logic error is detected on completion of the Preprocessing script- certain variable values are incorrect. The BPM application developer wishes to correct the relevant variable values and then proceed with testing/debugging the rest of the service. How can the BPM application developer set the variables to their correct values?

- A. Edit variables in the service debugger browser window
- B. Edit the pre-processing script to correct the logic and re-run the pre-processing script
- C. in the inspector perspective, use the execution evaluator, enter JavaScript to change the values
- D. in the inspector perspective double click on the relevant variable and change the values in the variables window.

Correct Answer: D

QUESTION 5

During the current playback phase, the BPM application developer is creating the to-be business process definition for a process application. Which playback phase is the BPM application developer currently in?


- A. Playback 0.
- B. Playback 1.
- C. Playback 2.
- D. Playback 3.

Correct Answer: A

QUESTION 6

A construction company is using IBM business process manager to review projects. Every project should be reviewed and scored by several subject matter experts (SME) before it is approved. The number of reviews depends on a business rule that is evaluated at runtime. All the reviews should be executed at the same time by a different SME. Each review is recorded individually and should include the SME user ID. The company decided that no specific order is required for the


final list of completed reviews. If the score of the process reaches the minimal total score required before all the reviews have been completed, the process should continue and all pending review should be interrupted. For this requirement, a BPM application developer is using a multi-instance loop (user task) and a decision task. The following JavaScript function is included in a server file. The `minimumScoreReached` function is defined so that the order of the final list of completed reviews is not supported.




```

1 var Namespace = {
2   minimumScoreReached : function () {
3     var reviews = tw.local.reviews;
4     var limit = reviews.Listlength; var score = 0;
5     for ( var idx = 0 : idx < limit : idx++ ) (
6       score += reviews[idx].score;
7     )
8     log.info ( "log" score ""+score );
9     log.info ( "log" minimum score ""+tw.epv.exposedProjectVariables.minimumScore);
10    return (score > tw.epv.exposedProjectVariables.minimumScore) ? true : false;
11  }
12 }
  
```

Variable in the Business Process Definition (BPD) are defined as follow:



Variable for **Score Project** task are:



▼ Behavior

Loop Type: Multi-instance Loop

▼ Multiple-instance Loop

Start Quantity: tw.local.numberReviews

Ordering: Run in Parallel

Flow Condition: Conditional Wait (Complex)

Complex Flow Condition: 1

Cancel Remaining Instances:

▼ Simple Loop

▼ Input Mapping

tw.local.projectInformation projectInformation (...)

tw.system.step.counter step (Integer)

▼ Output Mapping

review (Review)

How should the BPM application developer configure the behavior and data mappings for the multi-instance loop? (choose 2)

- A. Map review output variable to tw.local.reviews Q in the Output Mapping section.
- B. Map review output variable to tw.local.reviews [tw.local.reviews.listLength] in the Output Mapping section.
- C. Write Namespace.minimumScoreReachedQ in the Complex Flow Condition field
- D. Write return Namespace.minimumScoreReachedQ in the Complex Flow Condition field
- E. Add a new step output variable to the human service, and then use the following in the Output Mapping section: Map step output variable to tw.local.step Map review output variable to tw.local.reviews! tw.local.step]

Correct Answer: DE

QUESTION 7

A BPM application developer needs to create a search view in a client-side human service where a user can look up a city without entering the entire city name. This search view will use a search control where a user enters a partial spelling of a city, and the control will automatically populate a drop-down list with the list of the matching cities. The data will be pulled dynamically from a database. What type of service must the BPM application developer choose as the selection service configuration option for the search view?

- A. Ajax Service
- B. Web Service
- C. General System Service
- D. External Implementation Service

Correct Answer: B

QUESTION 8

A BPM Application developer is creating a reusable coach view that will be implemented using custom JavaScript. The coach will retrieve some of its data via an Ajax call. The BPM Application developer supplies a default implementation for the

Ajax service that has two parameters.

How must the BPM application developer implement the invocation of the Ajax service?

- A. As a JavaScript function call passing the parameter data as serialized XML
- B. As a JavaScript function call which supplies a callback function to provide a parameter data
- C. As a REST API call passing the parameter data as either serialized XML or serialized JSON
- D. As either a JavaScript function call or a REST API call passing the parameter data as serialized JSON

Correct Answer: C

QUESTION 9

A BPM Application developer is developing a new process application in IBM Business Process Manager V8.5.5. which condition must a BPM application developer choose to use a heritage human service over a client side human service?

- A. The web editor is preferred.
- B. The process application requires runtime collaboration support.
- C. The process application requires runtime case management support.
- D. The human service needs to minimize server-side calls in user interfaces.

Correct Answer: A

QUESTION 10

An insurance company has a claims process that is performed by a claims analyst and is due in 3 days. If the claims analyst has not completed the task in 4 days an escalation should be sent to a manager. The claims analyst can still complete the task, even if the escalation has been triggered, and the manager should only be notified once. Which configuration should the BPM application developer implement for the escalation timer?

A.

Boundary Event Details

Timer

Interrupt activity:

Repeatable:

Timer Properties

Trigger On: After Start of Step

Custom Date:

Before or After Difference: 4 Days

Tolerance Interval: 0 Hours

B.

Boundary Event Details

Timer

Interrupt activity:

Repeatable:

Timer Properties

Trigger On: After Due Date

Custom Date:

Before or After Difference: 3 Days

Tolerance Interval: 1 Days

C.

Boundary Event Details

Timer

Interrupt activity:

Repeatable:

Timer Properties

Trigger On: After Due Date

Custom Date:

Before or After Difference: 1 Days

Tolerance Interval: 0 Hours

D.

Boundary Event Details

Timer

Interrupt activity:

Repeatable:

Timer Properties

Trigger On: After Start of Step

Custom Date:

Before or After Difference: 4 Days

Tolerance Interval: 0 Hours

A. Exhibit A

B. Exhibit B

C. Exhibit C

D. Exhibit D

Correct Answer: A

QUESTION 11

After deploying a new snapshot and migrating in-flight instances to the new snapshot, a BPM application developer has found some instances with orphaned tokens. Which API must the BPM application developer use to manage the orphaned tokens?

A. Java

B. REST

C. JavaScript

D. Web Services

Correct Answer: B

QUESTION 12

A financial services company has implemented their first BPM application for their account opening process. During their second BPM project another line of business is also working on their version of an Account Opening process, and has identified several components from the first application that they want to reuse. What should the BPM application developer do to reuse these components?

A. Copy the elements of an account opening to the second process application as not to duplicate work.

B. Copy the elements of an account opening to a new toolkit that is used by the second process application and leave the first process untouched.

C. Take a snapshot of the first process application and make the second process application dependent on this snapshot.

D. Move the elements of an account opening to a new toolkit and make both process applications dependent of the new toolkit.

Correct Answer: D