

Vendor: HP

Exam Code: HP5-T01D

Exam Name: Delta - Supporting HP Industry Standard

Server Solutions

Version: Demo

QUESTION NO: 1

Where can you verify the status of an external DVD-ROM drive in a c7000 enclosure?

- A. Active Health Log
- B. Integrated Management Log
- C. Virtual SAS Manager
- D. Insight Display

Answer: D Explanation:

QUESTION NO: 2

What should be installed on a ProLiant Gen8 server to display operating system information within the iLO 4 GUI?

- A. HP Management Agents
- B. System Management Home Page
- C. Agentless Management Service
- D. ProLiant Support Pack

Answer: C

Reference:http://h20000.www2.hp.com/bc/docs/support/SupportManual/c03488111/c03488111.pd f

QUESTION NO: 3

Which button should you press to enter the RBSU during POST?

- **A.** F8
- **B.** F9
- **C.** F11
- **D.** F12

Answer: B

Reference:http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectID=c032559 24&prodSeriesId=5177953(See Using RBSU)

QUESTION NO: 4

Which steps should you perform to save a Virtual Connect configuration?

- A. enclosure setting, configuration scripts, show config, save
- B. enclosure setting, configuration scripts, inventory
- C. from CLI: show all > cfg,txt
- D. VCM, Tools, Backup/Restore Domain Configuration

Answer: A Explanation:

QUESTION NO: 5

Why should you use an electrostatic discharge (ESD) wrist strap when replacing parts such as memory DIMMs?

- **A.** It prevents the part from being damaged by static electricity.
- **B.** It incorporates high resistance and dissipates electrical charges into the ozone.
- **C.** A 48 V DC PSU will contribute to higher static electricity.
- **D.** A current of more than 75 mA can kill someone.

Answer: A

Explanation:

QUESTION NO: 6

You replaced a Smart Array P812 in a ProLiant DL380 G7 storage server. What should you do next?

- A. Check the FBWC charge.
- **B.** Replace the cache module.
- C. Install the BBWC battery.
- **D.** Verify that the firmware level is current.

Answer: D Explanation:

QUESTION NO: 7

A ProLiant DL380 Gen8 server has become unresponsive several times during the last two weeks. You contacted HP Technical Support and were asked to send them the Active Heath System log for the last two weeks. Where can you download this log? (Select two.)

- A. Integrated Management log (IML)
- B. iLO information page
- C. ROM Based Setup Utility (RBSU)
- **D.** Array Configuration Utility (ACU)
- E. Intelligent Provisioning Maintenance page

Answer: B,E

Reference:http://www.tricksguide.com/collect-ahs-logs-from-hp-gen8-server.html

QUESTION NO: 8

What can an engineer use to ensure quick, precise, intelligent installation when installing CPUs in a ProLiant Gen8 server?

- A. HP Smart Socket Guide
- B. HP Intelligent Provisioning
- C. HP CPU Slot Isolation
- D. HP Hot Plug CPU Sockets

Answer: A

Reference:http://www.glcomp.com/documents/spec/DL380p_Gen8_server.pdf(slide 20)

QUESTION NO: 9

A support engineer needs to add memory to a ProLiant ML350p Gen8 server.

What should the engineer consider when selecting the DDR3 DIMMs to install in this server?

A. Registered DIMMs (RDIMMs) are supported, offer larger capacities than UDIMMs. and include address parity protection.

HP HP5-T01D Exam

- **B.** Load Reduced DIMMs (LRDIMMs) are supported use the least power, and have the lowest latencies for the same memory clock speeds.
- **C.** Unbuffered DIMMs (UDIMMs) are supported and meet low power and large capacity requirements.
- **D.** Hypercloud DIMMs (HDIMMs) are supported and operate at four DIMMs per channel with all memory channels populated.

Answer: C

Reference:http://h20000.www2.hp.com/bc/docs/support/SupportManual/c03293145/c03293145.pd f(page 5)

QUESTION NO: 10

Which Virtual Connect module enables FCoE or iSCSI connectivity for BladeSystemserver blades?

- A. VC FlexFabric
- B. VC Flex-10
- C. VC-FC 8/24
- **D.** VC 1/10Gb-F

Answer: B Explanation:

QUESTION NO: 11

How can you verify that the system and option ROMs in a ProLiant server are the latest version?

- **A.** Review the information in the Insight Display.
- B. Launch the Intelligent Management Center and view updates.
- C. Restart the server and review ORCA.
- **D.** Restart the server and review POST.

Answer: B Explanation:

QUESTION NO: 12

A customer placed a service call after installing genuine HP memory from a ProLiant DL380 Gen7 server into a new ProLiant DL380 Gen8 server and receiving a POST message that the memory is not HP Smart Memory. What caused this to happen?

- A. The memory is defective and is not discovered during POST.
- **B.** The memory is not in the correct processor bank.
- C. Only Gen8 memory can be detected as Smart Memory
- **D.** The memory is not authentic HP memory

Answer: C Explanation:

QUESTION NO: 13

A customer is experiencing a pre-failure alarm of the battery on a UPS that is almost one year old. Which statement is correct?

- A. The battery replacement is included in the warranty
- **B.** The customer must contact the manufacturer of the battery for replacement.
- **C.** The battery is considered a consumable item and is excluded from the warranty or Care Pack. The customer must purchase a new battery.
- **D.** The battery can be replaced only if the appropriate Care Pack for the UPS has been purchased

Answer: C Explanation:

QUESTION NO: 14

Which memory configuration types are supported in the ProLiant Gen8 server blades? (Select two.)

- A. RDIMM
- **B.** SODIMM
- C. UDIMM
- D. SDIMM
- E. DDR3

Answer: A,C

Reference:http://h18000.www1.hp.com/products/quickspecs/14325_na/14325_na.pdf(page 3, see the second last note on the page in blue)

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.