

100% Money Back
Guarantee

Vendor:Juniper

Exam Code:JN0-400

Exam Name:EX, Associate (JNCIA-EX)

Version:Demo

QUESTION 1

Which two represent physical interface properties? (Choose two.)

- A. encapsulation
- B. protocol family
- C. MTU
- D. duplex mode

Correct Answer: CD


QUESTION 2

Click the Exhibit button.

An EX-series switch is configured as shown in the exhibit. A network outage has caused the RADIUS server and the TACACS+ server to become unreachable.

If a user attempts to login to the switch during this outage, which statement is correct?

```
[edit system]
lab@s1# show
authentication-order [radius tacplus ];
```



- A. The authentication fails because there is no valid authentication method.
- B. The user would be required to login with the root user account.
- C. The user would be required to access the switch through the console connection.
- D. The authentication is performed using the local password database.

Correct Answer: D

QUESTION 3

How are loops avoided in a virtual chassis?

- A. split horizon
- B. physical cabling requirements
- C. half duplex communication

D. egress filter tables

Correct Answer: D

QUESTION 4

An EX-series switch has two routes for the same prefix: one that it received through OSPF and one that is a static route. How will the switch choose a route to use for this prefix?

- A. The switch will compare route preferences and use the route with the lowest route preference.
- B. The switch will compare metrics and use the route with the lowest metric.
- C. The switch will compare route preferences and use the route with the highest route preference.
- D. The switch will compare metrics and use the route with the highest metric.

Correct Answer: A

QUESTION 5

Which two statements describe the management of a virtual chassis? (Choose two.)

- A. Manage the entire virtual chassis by configuring a single management IP address on the Virtual Management Ethernet (vme) interface.
- B. Each virtual chassis member switch has its own console port and must be managed separately.
- C. Manage each member switch by configuring an individual management IP address on each member switch's Virtual Management Ethernet (vme) interface.
- D. Console connections to individual member switches are redirected to the master switch.

Correct Answer: AD

QUESTION 6

Which statement describes a benefit of Link Layer Discovery Protocol-Media Endpoint Discovery (LLDP-MED)?

- A. Allows an LLDP-MED-enabled switch to deliver VLAN and Class of Service (CoS) settings to a neighboring IP phone.
- B. Allows an LLDP-MED-enabled switch to disable the interface when an invalid LLDP-MED advertisement is received from a neighboring IP phone.
- C. Allows an LLDP-MED-enabled switch to request an LLDP-MED advertisement from a neighboring IP phone when a periodic update is not received in a specific interval.
- D. Allows an LLDP-MED-enabled switch to forward the advertisements received from a neighboring IP phone on one LAN segment to another segment.

Correct Answer: A

QUESTION 7

Click the Exhibit button.

In the exhibit, to which hierarchy level will the user be directed based upon the last command issued?

```
root# edit
[edit]
root# edit protocols ospf area 0.0.0.0
[edit protocols ospf area 0.0.0.0]
root# up
```

- A. [edit protocolsospf area] root#
- B. [edit protocolsospf] root#
- C. [edit] root#
- D. [edit protocols] root#

Correct Answer: B

QUESTION 8

What are two components of the JUNOS software architecture? (Choose two.)

- A. efficient processing of all packets through the control plane
- B. shared memory environment for all processes
- C. multiple software processes
- D. separation of control and forwarding planes

Correct Answer: CD

QUESTION 9

What describes the way the JUNOS software evaluates a route against a policy?

- A. The JUNOS software evaluates all terms in a policy sequentially. When it finds that the route matches all criteria specified in the match clause of a term, it applies the actions specified in the then clause and stops processing further terms.

B. The JUNOS software evaluates all terms in a policy sequentially. When it finds that the route matches all criteria specified in the from clause of a term, it applies the actions specified in the then clause and continues processing further terms if the accept action was specified.

C. The JUNOS software evaluates all terms in a policy sequentially. When it finds that the route matches any criteria specified in the from clause of a term, it applies the actions specified in the then clause and stops processing further terms.

D. The JUNOS software evaluates all terms in a policy sequentially. When it finds that the route matches all criteria specified in the from clause of a term, it applies the actions specified in the then clause and stops processing further terms.

Correct Answer: D

QUESTION 10

Which two statements are correct about deploying a virtual chassis? (Choose two.)

A. When building a virtual chassis, the dedicated virtual chassis port (VCP) and the 10-Gigabit Ethernet uplink virtual chassis extender port (VCEP) cannot be used at the same time.

B. The maximum distance between two virtual chassis member switches cannot exceed 3 meters.

C. The maximum distance between two virtual chassis member switches can exceed 3 meters.

D. When building a virtual chassis, the dedicated virtual chassis port (VCP) and the 10-Gigabit Ethernet uplink virtual chassis extender port (VCEP) can be used at the same time.

Correct Answer: CD

QUESTION 11

Which operational-mode command displays the status, physical properties, logical properties, usage statistics, and error statistics for ge-0/0/0?

A. show interfaces ge-0/0/0 brief

B. show interfaces ge-0/0/0 detail

C. show interfaces ge-0/0/0 extensive

D. show interfaces ge-0/0/0 terse

Correct Answer: C

QUESTION 12

When DHCP snooping is enabled, which two DHCP messages are allowed on an untrusted interface? (Choose two.)

A. DHCPACK

B. DHCPOFFER

C. DHCPREQUEST

D. DHCPDISCOVER

Correct Answer: CD

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.