

**100% Money Back
Guarantee**

Vendor:IBM

Exam Code:P2180-039

Exam Name:IBM WebSphere MQ Technical Sales
Mastery Test v2

Version:Demo

QUESTION 1

Which statement is NOT true regarding WebSphere MQ transport for SOAP?

- A. Integrates with WebSphere MQ infrastructure
- B. Provides an alternative transport to HTTP
- C. Allows WebSphere MQ to verify the SOAP message
- D. Supports load balancing through WebSphere MQ clustering

Correct Answer: C

QUESTION 2

When an MQ application running on a distributed platform connects to a local queue manager, which statement is TRUE regarding security checks?

- A. The queue manager uses the operating system userid associated with the MQ application.
- B. The queue manager authenticates the MQ application using the userid and password as passed in the MQCONN call.
- C. The queue manager examines the value of the MCAUSER field.
- D. The queue manager examines the value of the SSLPEER field.

Correct Answer: A

QUESTION 3

In what situation will you benefit from the use of multi instance queue managers?

- A. You would like to replace an HA coordinator
- B. You would like to your System IP address assumed at Queue Manager fail over
- C. You would like active/stand by Queue Manager fail over support
- D. You would like higher throughput with work load management of multiple instances of queues

Correct Answer: C

QUESTION 4

What is the name of the MQMD field that a message producer uses to ensure that no consumers receive a message after a message has been on a destination queue for a specified period of time?

- A. Timeout
- B. Expiry
- C. TimeToLive
- D. MaxAge

Correct Answer: B

QUESTION 5

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 6

To write a message to a WebSphere MQ v7 queue, which of the following MQI API calls is NOT a required step of the application programming code?

- A. MQCONN
- B. MQPUT
- C. MQSET
- D. MQOPEN

Correct Answer: C

QUESTION 7

Which statement is TRUE regarding WebSphere MQ and message routing?

- A. WebSphere MQ will look for a consumer name in the message description (MQMD) header.
- B. WebSphere MQ does not route based on the contents of the message body.
- C. You can write an XPATH expression to tell WebSphere MQ how to route the message to the appropriate consumer.

D. WebSphere MQ will examine the message properties and route it to the appropriate consumer.

Correct Answer: B

QUESTION 8

In a distributed queuing architecture, where does the local queue manager store messages until it is ready to send them to the remote queue manager?

- A. In a relational database
- B. In a remote channel queue
- C. In a remote queue definition
- D. In a transmission queue

Correct Answer: D

QUESTION 9

On distributed systems, to determine the access rights a user has to a WebSphere MQ object which entity most accurately describes where to look?

- A. Access control lists
- B. Object authorities
- C. Object rights
- D. Object privileges

Correct Answer: B

QUESTION 10

Which of the following is NOT a valid method of administration for WebSphere MQ v7?

- A. WebSphere MQ Explorer
- B. Integrated Solutions Console
- C. Command-line
- D. PCF commands

Correct Answer: B

QUESTION 11

Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Correct Answer: D

QUESTION 12

In order for a MQ program to send a message to another MQ program using a queue, which of the following is true?

- A. The sending program must request the receiving program queue name from the WebSphere MQ queue manager.
- B. The sending program, the receiving program, and WebSphere MQ must all be currently running before any of the queues can be accessed.
- C. The sending program and the receiving program must agree on which queue they will use for communicating.
- D. The sending program specifies the receiver program name in a message header by which WebSphere MQ uses to send the message to the receiver program.

Correct Answer: C

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



One Year Free Update  Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	Money Back Guarantee  To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	Security & Privacy  We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
--	--	---

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.