

100% Money Back
Guarantee

Vendor:Citrix

Exam Code:1Y0-371

Exam Name:Designing, Deploying and Managing
Citrix XenMobile 10 Enterprise Solutions

Version:Demo

QUESTION 1

Scenario: A Citrix Engineer deployed new iOS applications during an IT maintenance window. While existing iOS applications remain unaffected, users are reporting they have NOT received the recently pushed new applications.

What is the possible cause of this issue?

- A. APNS ports have been blocked.
- B. Enrollment ports have been blocked.
- C. The VPP license count has been exceeded.
- D. The connection between XenMobile Device Manager and App Controller is down.

Correct Answer: A

QUESTION 2

Worx Home is installed on organization-wide Android and iOS devices.

Which two tasks must a Citrix Engineer perform to ensure organization-wide devices successfully enroll with XenMobile Device Manager? (Choose two.)

- A. Request an APNS certificate for iOS devices.
- B. Open ports 80 and 443 on the external firewall.
- C. Configure XenMobile Device Manager to push a device inventory policy.
- D. Open outbound connections to APNS through ports 2195 and 2196 for the XenMobile Device Manager.

Correct Answer: AD

QUESTION 3

Scenario: A Citrix Engineer must provide remote users with access to their corporate e-mail from their mobile devices. The engineer must ensure remote users' mobile devices meet the following requirements:

-

Mobile devices require a PIN for corporate email.

-

Mobile devices cannot be jailbroken.

-

Mobile devices must be enrolled to XenMobile Device Manager.

-

Only iOS devices will have access to corporate email.

Which component should the engineer include in the solution to enforce the requirements outlined in the scenario?

A.

WorxMail

B.

App Controller

C.

TouchDown mail client

D.

XenMobile NetScaler Connector

Correct Answer: D

QUESTION 4

A Citrix Engineer created an Automated Action to determine when a device has been rooted or jailbroken and needs to customize the text of the email that users receive when NOT in compliance. How could the engineer customize the text of the email that users receive?

A. Add text to an Ad Hoc notification.

B. Change the Notification Server settings.

C. Edit the corresponding Notification Template.

D. Modify the text in the Automated Action Policy.

Correct Answer: C

QUESTION 5

What must remain consistent between an old and new certificate when renewing an Apple Push Notification service (APNs) certificate?

A. Apple ID

B. Private key password

C. Certificate request server

D. Certificate common name

Correct Answer: A

QUESTION 6

-- Exhibit



The screenshot shows the XenMobile console interface. At the top, there are four tabs: 'iOS Profiles', 'Certificates', 'Deployment', and 'Connections'. The 'Deployment' tab is selected. Below the tabs is a table with the following data:

Date	Package name	Status
	IOS-test	Remaining

A large blue watermark 'Pass4Lead.com' is overlaid diagonally across the table.

-- Exhibit -

Scenario: A Citrix Engineer implemented a new XenMobile Device Manager deployment. The engineer created iOS and Android policies and added them to their respective base package. After successful enrollment, the mobile device does NOT receive any policy settings. After some research, the engineer notices the information in the attached Exhibit.

Click the Exhibit button to view the Deployment Tab that shows the status of the Base Deployment Package. What is the likely cause for the mobile device NOT receiving the base package?

- A. APNS communication ports are blocked.
- B. XenMobile Device Manager licenses are expired.
- C. The device is no longer enrolled with Worx Home.
- D. The base package already exists on the mobile device.

Correct Answer: A

QUESTION 7

Scenario: A Citrix Engineer is experiencing issues deploying client certificates for NetScaler Gateway authentication to devices after configuring their Public Key Infrastructure (PKI) settings within the XenMobile Server. Which two sets of logs could the engineer review to determine why the certificate is NOT being issued? (Choose two.)

- A. Worx Home logs
- B. XenMobile Server Debug Log File
- C. Certificate Authority Event Viewer

D. NetScaler aaad.debug log

Correct Answer: BC

QUESTION 8

Scenario: A user has lost permission to WorxMail and the application has been uninstalled. However, the user can still access the Worx Store. Which two sets of logs should a Citrix Engineer gather in order to help diagnose this issue? (Choose two.)

A. XenMobile Server log

B. NetScaler log

C. WorxMail log

D. Worx Home log

Correct Answer: AD

QUESTION 9

Which XenMobile Windows Phone 8.1 policy should a Citrix Engineer configure in order to deploy Worx MDX apps to a Windows Phone 8.1 device?

A. Enterprise Hub policy

B. Exchange policy

C. App Inventory policy

D. Sideload Key policy

Correct Answer: A

QUESTION 10

Scenario: XenMobile has been selected as the new mobility solution for an organization. The organization currently has a Citrix XenApp environment with remote access provided through NetScaler ICA Proxy. A Citrix Engineer needs to redesign the email access solution for remote users and the organization requires that the new solution integrate with the native iOS Mail.

Which component should be implemented to meet the requirements outlined in the scenario?

A. WorxMail

B. Secure Mobile Gateway

C. XenMobile Mail Manager

D. XenMobile NetScaler Connector

Correct Answer: D

QUESTION 11

Which two additional steps must a Citrix Engineer take to complete a XenMobile cluster configuration after adding a secondary node to an existing production cluster? (Choose two.)

- A. Add and bind the load-balancing service to the load-balancing virtual servers.
- B. Add the new node to the XenMobile Server database.
- C. Add the new node as an STA to the NetScaler Gateway configuration.
- D. Add the new node as a Delivery Controller within StoreFront.

Correct Answer: AC

QUESTION 12

What must a Citrix Engineer do to prevent XenMobile Mail Manager from blocking WorxMail traffic?

- A. Set the regex expression "WorxMail.*".
- B. Update the WorxMail MDX policy.
- C. Configure Mobile Service Provider in XenMobile Mail Manager.
- D. Define User or Group ID in XenMobile Mail Manager.

Correct Answer: A

QUESTION 13

Scenario: A Citrix Engineer in a XenMobile deployment is in the process of implementing ShareFile Enterprise with Security Assertion Markup Language (SAML) support using Microsoft Active Directory Federation Services (ADFS). The Active Directory team has installed and configured ADFS and has provided the engineer with the information needed to configure ShareFile Enterprise and enable SAML Single Sign-On.

Which three pieces of information must the engineer configure for SAML in ShareFile Enterprise? (Choose three.)

- A. Login URL
- B. Logout URL
- C. X.509 Certificate
- D. IDP Issuer/ Entity IP
- E. ShareFile Issuer / Entity ID
- F. SP-Initiated SSO Certificate

G. SP-Initiated Authentication context

Correct Answer: ACE

QUESTION 14

Scenario: XenMobile Device Manager is implemented to ensure Android and iOS users are compliant with corporate security policies.

A Citrix Engineer is required to set the following restrictions for all devices:

-Restrict device passcode to 4 digits

-

Disable the device camera

A.

Create a configuration policy for each device type.

B.

Create a configuration policy containing both restrictions.

C.

Create a deployment package with a device type property rule.

D.

Create a single deployment package to deploy to both device types.

E.

Create separate deployment packages and deploy to each device type.

Which two configuration steps should the engineer take to meet the needs of the scenario? (Choose two.)

Correct Answer: AE

QUESTION 15

A Citrix Engineer needs to push native email profiles and configurations to user devices.

Which XenMobile macros could the engineer use to automate email provisioning of native email clients on user devices?

A. {user.username} {user.mail}

B. (User.username) (User.mail)

C. %user.username %user.mail

D. #user.username #user.mail

Correct Answer: A

QUESTION 16

Scenario: A XenMobile Server has been implemented with Public Key Infrastructure (PKI) for security. Management has asked for the XenMobile Server to enumerate XenApp and XenDesktop resources. After the Citrix Engineer has configured the XenMobile Server to communicate with StoreFront, the users still CANNOT see Windows applications and desktops.

Which two additional steps must the engineer take to resolve the enumeration failure? (Choose two.)

- A. List the XML Broker as a Secure Ticket Authority (STA) in StoreFront.
- B. Modify the Global Catalog Context in the LDAP profile on the XenMobile Server.
- C. Set up the NetScaler Gateway Logon Type to Certificate and Domain within the XenMobile Server.
- D. Bind an additional authentication policy for LDAP to the NetScaler Gateway virtual server.
- E. Configure the Network Access Control settings in the XenMobile Server.

Correct Answer: CD

QUESTION 17

Scenario: A Citrix Engineer created an automated action to notify users when the Pandora application is installed on their mobile devices. For testing purposes, the engineer installed the application on a mobile device but noticed that a notification was NOT received.

Which two XenMobile Server settings should the engineer check to resolve this issue? (Choose two.)

- A. POP3
- B. SMTP
- C. IMAP
- D. SMS

Correct Answer: BD

QUESTION 18

Scenario: A Citrix Engineer needs to deploy a XenMobile solution for a large organization. The organization will use XenMobile to manage Android and iOS devices.

To provide resilience, NetScaler appliances will communicate with XenMobile Servers. The engineer has deployed all necessary infrastructure and opened the required firewall ports. To load balance mobile device management traffic, the engineer has configured NetScaler to use SSL_Bridge to communicate with a XenMobile Server cluster.

Which persistence method should the engineer configure to facilitate consistent communication between the NetScaler and the XenMobile Servers?

- A. SSLSESSION
- B. CUSTOMSERVERID
- C. DESTIP
- D. COOKIEINSERT

Correct Answer: A

QUESTION 19

A Citrix Engineer downloaded the incorrect version of Worx Home on an Android device and is attempting to uninstall Worx Home, but attempts to uninstall have NOT been successful.

What should the engineer do to successfully uninstall Worx Home?

- A. Restart the device.
- B. Deactivate Worx Home as an administrator on the device.
- C. Unenroll the device.
- D. Remove all MDX applications from the device.

Correct Answer: C

QUESTION 20

In which way does implementing Worx PIN improve the user experience while maintaining Enterprise security?

- A. It streamlines the user experience when the Active Directory password is changed.
- B. It allows the user to use a unique, synchronized PIN for device and application access without modifying corporate password policy.
- C. It reduces the number of times the user has to authenticate to launch managed applications.
- D. It reduces the complexity of daily password entry without modifying corporate password policy.

Correct Answer: D

QUESTION 21

What are two server requirements for StorageZone Controllers? (Choose two.)

- A. Application Server role

- B. Web Server IIS role
- C. ASP.NET
- D. Windows PowerShell

Correct Answer: BC

QUESTION 22

Which three options must occur on the virtual server during the initial configuration of the Mobile Application Management (MAM) load-balancing virtual server? (Choose three.)

- A. The virtual server listens over port 8443.
- B. The virtual server listens over port 443.
- C. The virtual server requires SSL Session persistence.
- D. The virtual server requires CUSTOMSERVERID persistence.
- E. The "Load Balancing FQDN for MAM" must correspond to the FQDN specified during initial XenMobile Server installation.
- F. The "Load Balancing FQDN for MAM" must correspond to the internal FQDN for the IP address being used.

Correct Answer: ADE

QUESTION 23

A Citrix Engineer must delegate enrollment invitation management to Level 1 administrators.

What should the engineer do to accomplish this objective?

- A. Configure AAA groups on the NetScaler Gateway; allow only this group to access the console over port 4443.
- B. Create a local group on the XenMobile Server; allow only Level 1 administrators access to it.
- C. Configure a Delivery Group within the XenMobile Server; deploy the security policies only to the dedicated group of Level 1 administrators.
- D. Configure Role-based Access Control (RBAC); assign only the desired permissions to the Active Directory group where the Level 1 administrators reside.

Correct Answer: D

QUESTION 24

Which two configurations could be changed only by reinstalling the XenMobile Server using the command-line interface? (Choose two.)

- A. Default Gateway
- B. XenMobile hostname
- C. Primary DNS server
- D. IP address
- E. Upgrade option

Correct Answer: BE

QUESTION 25

A Citrix Engineer, in the process of configuring XenMobile, launches the XenMobile Console for the first time and is presented with the wizard to continue the configuration.

Which two options could the engineer configure at this stage of the installation? (Choose two.)

- A. LDAP service account
- B. Database type
- C. Apple Push Notification service (APNs) certificate upload
- D. XenMobile Cluster configuration
- E. Primary DNS server

Correct Answer: AC

QUESTION 26

Scenario: A company with 29,000 enrolled users recently acquired another company with 8,000 users. All new users also will need access to Enterprise applications. Each server's specifications include four vCPUs and 16 GB of RAM.

What is the minimum amount of XenMobile cluster nodes required to support this environment?

- A. One
- B. Two
- C. Three
- D. Four

Correct Answer: D

QUESTION 27

A Citrix Engineer needs to design a multi-node, scalable XenMobile solution.

Which database type should the engineer choose to meet the needs of this deployment?

- A. Microsoft SQL
- B. PostgreSQL
- C. Oracle
- D. MySQL

Correct Answer: A

QUESTION 28

A Citrix Engineer is currently in the process of a first-time installation of a XenMobile Server using the command-line interface.

Which two settings are required when configuring the remote database using SQL authentication? (Choose two.)

- A. Database version
- B. Port number
- C. Domain name
- D. Database name

Correct Answer: AC

QUESTION 29

Which two components are required in order for a Citrix Engineer to use the MDX Toolkit to wrap Android applications for production use? (Choose two.)

- A. Command-line tools
- B. Enterprise certificate from Symantec
- C. Android Developer Tools and Android SDK
- D. Android Just-in-Time Compiler
- E. A keystore certificate

Correct Answer: CE

QUESTION 30

Scenario: A Citrix Engineer uses the Netscaler XenMobile wizard to configure SSL Offload for a single XenMobile Server and selects the http communication to XenMobile Server under Mobile Application Management (MAM) load balancing settings. After completing the wizard, the engineer runs the Load Balancer for MAM connectivity check, which shows a failure.

Which corrective step will the engineer need to take to ensure successful communications between the XenMobile Server and NetScaler?

- A. Add the CITRIX-XDM monitor to the load-balancing virtual server.
- B. Add the NetScaler SNIP to the Access-white list on the XenMobile Server.
- C. Allow the http service through the XenMobile Server firewall.
- D. Upload the XenMobile Server root certificate to the NetScaler.

Correct Answer: C

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate


More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.