

100% Money Back
Guarantee

Vendor:Oracle

Exam Code:1Z0-063

Exam Name:Oracle Database 12c: Advanced
Administration

Version:Demo

QUESTION 1

Which three statements are true about automated maintenance tasks? (Choose three.)

- A. Predefined maintenance tasks consist of automatic optimizer statistics collection, running Automatic Segment Advisor, and running Automatic SQL Tuning Advisor.
- B. A repository is maintained in the SYSTEM tablespace to store the history of execution of all tasks.
- C. They run at predefined time intervals that are intended to occur during a period of low system loads.
- D. An Oracle Scheduler job is created for each maintenance tasks that is scheduled to run in a maintenance window.
- E. A maintenance window is automatically extended until all the maintenance tasks defined are completed.

Correct Answer: ACD

QUESTION 2

Identify three scenarios in which RMAN will use backup sets to perform active database duplication. (Choose three.)

- A. when the duplicate ... from active database command contains the section size clause
- B. when you perform active database duplication on a database with flashback disabled
- C. when you specify set encryption before the duplicate ... from active database command
- D. when the number of auxiliary channels allocated is equal to or greater than the number of target channels
- E. when you perform active database duplication on a database that has read-only tablespaces

Correct Answer: ACD

Reference: <http://docs.oracle.com/database/121/BRADV/rcmdupdb.htm#BRADV298>

QUESTION 3

Identify two scenarios in which the RMAN crosscheck command can be used. (Choose two.)

- A. when checking for backups that are not required as per the retention policy
- B. when updating the RMAN repository if any of the archived redo log files have been deleted without using RMAN to do the deletes
- C. when updating outdated information about backups that disappeared from disk or media or became corrupted and inaccessible
- D. when synchronizing backups, which were not performed by using RMAN, with the RMAN repository
- E. when listing backups that are required for recovery operations

Correct Answer: BE

QUESTION 4

Which two statements are true about RMAN duplexed backups? (Choose two.)

- A. It is only supported for backups to tape via the media management interface.
- B. It is not supported for image copies.
- C. For performing duplexed backups, the parallelism for the device must be set equal to the number of copies.
- D. Duplex backups can be performed on either disk or media, but cannot be performed on media and disk simultaneously.
- E. Duplex backups can contain only data files and control files.

Correct Answer: BD

QUESTION 5

Which three statements are true about the SQL*Loader utility? (Choose three.)

- A. It can be used to load data from multiple external files into multiple tables.
- B. It can be used to extract and reorganize data from external files, and then load it into a table.
- C. It can be used to load data from external files using direct path only.
- D. It can be used to create tables using data that is stored in external files.
- E. It can be used to generate unique sequential values in specified columns while loading data.

Correct Answer: ABE

QUESTION 6

Which three are true about RMAN duplexed backup sets or image copies? (Choose three.)

- A. A backup set may be duplexed with both copies written to disk.
- B. An image copy on sbt can be copied to disk.
- C. A backup set may be duplexed with both copies written to sbt.
- D. An image copy on disk can be copied to sbt.
- E. An image copy on disk can be copied to disk.
- F. A backup set may be duplexed so that one copy is written to sbt and the other to disk.

Correct Answer: ACF

QUESTION 7

You want to move your existing recovery catalog to another database.

Examine the steps:

- 1) Export the catalog data by using the Data Pump Export utility in the source database.
- 2) Create a recovery catalog user and grant the necessary privileges in the target database.
- 3) Create a recovery catalog by using the CREATE CATALOG command.
- 4) Import the catalog data into the new recovery catalog by using the Data Pump Import utility in the target database.
- 5) Import the source recovery catalog schema by using the RMAN IMPORT CATALOG command.
- 6) Connect to the destination database.
- 7) Connect as CATALOG to the destination recovery catalog schema.

Identify the option with the correct sequence for moving the recovery catalog.

- A. 1, 6, 4
- B. 2, 3, 7, 5
- C. 1, 2, 6, 4
- D. 1, 2, 3, 6, 5

Correct Answer: C

QUESTION 8

Examine the RMAN command:

```
RMAN> SET ENCRYPTION IDENTIFIED BY ON FOR ALL TABLESPACES; RMAN> BACKUP DATABASE PLUS ARCHIVELOG;
```

Which type of encryption is used for the backup performed by using this command?

- A. password-mode encryption
- B. dual-mode encryption
- C. transparent encryption
- D. default encryption

Correct Answer: A

Reference:

http://docs.oracle.com/cd/B28359_01/backup.111/b28270/rcmbckad.htm#CEGEJABH (to make password
?ncrypted backups)

QUESTION 9

Which activity is audited by default and recorded in the operating system audit trail irrespective of whether or not database auditing is enabled?

- A. configuration of unified auditing mode
- B. execution of SQL statements by users connected with the SYSDBA privilege
- C. usage of the AUDIT statement
- D. creation of a fine grained audit policy

Correct Answer: C

QUESTION 10

Which two statements are true about roles in multitenant container databases (CDBs)? (Choose two.)

- A. Local roles can be granted to local and common users.
- B. A common role can be granted only to a common user.
- C. A common user can create a local role by default in any pluggable database (PDB) that is plugged in to a CDB.
- D. A common role can be granted only system privileges.
- E. The root container can have both local and common roles.
- F. A local role can be assigned to a common role in a PDB.

Correct Answer: AF

QUESTION 11

You use RMAN with a recovery catalog to back up your database. The backups and the archived redo log files are backed up to media daily. Because of a media failure, the entire database along with the recovery catalog database is lost.

Examine the steps required to recover the database:

1.

Restore an autobackup of the server parameter file.

2.

Restore the control file.

3.

Start up the database instance in nomount state.

4.

Mount the database.

5.

Restore the data files.

6.

Open the database with the resetlogs option.

7.

Recover the data files.

8.

Set D3ID for the database.

Identify the required steps in the correct order.

A. 1, 8, 3, 2, 4, 5, 7, 6

B. 8, 1, 3, 2, 4, 5, 7, 6

C. 1, 3, 2, 4, 8, 5, 6, 7

D. 8, 3, 2, 4, 5, 7, 6

E. 8, 1, 3, 2, 4, 5, 6

Correct Answer: B

QUESTION 12

Examine the RMAN command: Which statement is true about the command?

```

RMAN> RUN {
    ALLOCATE CHANNEL c1 DEVICE TYPE sbt;
    ALLOCATE CHANNEL c2 DEVICE TYPE sbt;
    ALLOCATE CHANNEL c3 DEVICE TYPE sbt;
    BACKUP
    INCREMENTAL LEVEL = 0
    (DATAFILE 1,4,5 CHANNEL c1)
    (DATAFILE 2,3,9 CHANNEL c2)
    (DATAFILE 6,7,8 CHANNEL c3);
    SQL 'ALTER SYSTEM ARCHIVE LOG CURRENT';
}

```

- A. It creates compressed backup sets.
- B. It uses asynchronous I/O for the backup.
- C. It uses parallelization for the backup set.
- D. It uses multisection backup.

Correct Answer: C

stands for Serial Backup Tape.

Configuring Parallel Channels for Disk and SBT Devices

The number of channels available for a device type when you run a command determines whether RMAN reads or writes in parallel. As a rule, the number of channels used in executing a command should match the number of devices accessed.

For tape backups, allocate one channel for each tape drive.

References: Oracle Database, Backup and Recovery User's Guide, 12 Release 2 (January 2017), page 56