

Vendor:Oracle

**Exam Code:**1Z0-932

Exam Name: Oracle Cloud Infrastructure 2018

**Architect Associate** 

Version: Demo

## **QUESTION 1**

Which two statements are true about the Oracle Cloud Infrastructure Object Storage Service? (Choose two.)

- A. It provides higher IOPS than Block Storage.
- B. It can be directly attached or detached from a compute instance.
- C. Data is stored redundantly only in one Availability Domain.
- D. Data is stored redundantly across multiple storage servers across multiple Availability Domains.
- E. It provides strong consistency.

Correct Answer: DE

Reference: https://docs.cloud.oracle.com/iaas/Content/Object/Concepts/objectstorageoverview.htm

# **QUESTION 2**

Which certificate format is used with the load balancer?

- A. PFX
- B. PEM
- C. PKCS12
- D. CRT

Correct Answer: B

# **QUESTION 3**

How can you provide users access to an existing compartment?

- A. by granting users access to a compartment when the compartment is created
- B. by adding users to a group and defining a policy to provide the group access to the compartment
- C. by adding users to a compartment. All users in the compartment will have access to the objects in the compartment.
- D. by granting access directly to the user when the user is created

Correct Answer: B

# **QUESTION 4**

Which three can you achieve by using Terraform? (Choose three.)

- A. Create resources in the right order without regard to the order in the terraform plan file.
- B. Automatically re-provision the resources that are tainted or whose configuration has changed.
- C. Automatically translate a deployed infrastructure and create a plan.
- D. Automatically destroy all the resources that are in tenancy.
- E. Continuously maintain the configuration files in an instance.

Correct Answer: ABD

#### **QUESTION 5**

Which three are capabilities of the dbaascli utility? (Choose three.)

- A. Patching the primary database deployment
- B. Open port 1521 in the VCN to allow for traffic to the listener
- C. Start and open the database instance
- D. Switchover and failover in an Oracle Guard configuration
- E. Clone a DB

Correct Answer: ACD

### **QUESTION 6**

Which statement is true about cloning a volume?

- A. You need to detach a volume before cloning from it.
- B. A cloned volume is the same as a snapshot that has a dependency on the source volume.
- C. You cannot change the block volume size when cloning a volume.
- D. You can create a clone for a volume across regions.

Correct Answer: B

Reference: https://docs.cloud.oracle.com/iaas/Content/Block/Tasks/cloningavolume.htm

#### **QUESTION 7**

What is a valid option when exporting a custom image?

- A. object storage URL
- B. archive storage URL

- C. file storage service
- D. block volume

Correct Answer: A

Reference: https://docs.cloud.oracle.com/iaas/Content/Compute/Tasks/imageimportexport.htm

#### **QUESTION 8**

Which two tools would you use to manage Database Cloud Service (DBCS)? (Choose two.)

- A. psql
- B. Oracle Swingbench
- C. SQL Developer
- D. Oracle Enterprise Manager

Correct Answer: CD

Reference: https://docs.oracle.com/en/cloud/paas/database-dbaas-cloud/csdbi/monitor-and-managedb.html

# **QUESTION 9**

You have five different company locations spread across the US. For a proof-of-concept (POC) you need to setup secure and encrypted connectivity to your workloads running in a single virtual cloud network (VCN) in the Oracle Cloud Infrastructure Ashburn region from all company locations.

What would meet this requirement?

- A. Create five internet gateways in your VCN and have separate route table for each internet gateway.
- B. Create five virtual circuits using FastConnect for each company location and terminate those connections on a single dynamic routing gateway (DRG). Attach that DRG to your VCN.
- C. Create five IPsec connections with each company location and terminate those connections on a single DRG. Attach that DRG to your VCN.
- D. Create five IPsec VPN connections with each company location and terminate those connections on five separate DRGs. Attach those DRGs to your VCN.

Correct Answer: C

## **QUESTION 10**

Which statement is true about Oracle Cloud Infrastructure Object Storage Service?

- A. An Archive Object Storage tier bucket can be upgraded to the Standard Object Storage tier.
- B. You cannot directly download an object from an Archive Object Storage bucket.
- C. An existing Standard Object Storage tier bucket can be downgraded to the Archive Object Storage tier.
- D. Data retrieval in Archive Object Storage is instantaneous.

Correct Answer: B

#### **QUESTION 11**

You are in the process of setting up a highly available student registration website on Oracle Cloud Infrastructure (OCI). You use a load balancer and a database service on OCI. You launch two compute instances each in a different subnet and add them to the back end set of a public load balancer. The load balancer is configured correctly and working. You then deploy the student registration application on these two compute instances. The application can communicate with the database service. However, when you type the URL of this student registration application in your browser, no web page appears.

What could be the cause?

- A. The security lists of the subnets on which the two instances are located do not have "allow" rules for port 80 and 443.
- B. The load balancer performed a health check on the application and found that compute instances were not in a healthy state and terminated the instances.
- C. The client requested https access to the application and the load balancer service does not support end-to-end SSL from the client to the listener to the back-end set.
- D. The Dynamic Routing Gateway is preventing the client traffic from your data center network from reaching the public IP of the load balancer.

Correct Answer: A

#### **QUESTION 12**

You have an application server that needs to copy data on Oracle Cloud Infrastrucutre (OCI) object storage in the same region. You have created a service gateway for OCI object storage in your virtual cloud network (VCN) and modified security lists associated with the subnet to allow traffic to the service gateway. You are able to connect to the OCI object storage, however, you notice that the connectivity is over the Internet instead of the service gateway. What is the reason for this behavior?

- A. The route table associated with the subnet has no route rule where the destination is object storage service
- B. The service gateway created in the VCN resides in a different availability domain
- C. The security list associated with the subnet has an egress rule that allows all traffic to be forwarded to a destination CIDR 0.0.0.0/0
- D. Identity and Access Management (IAM) policies restrict the access to the object storage bucket

Correct Answer: B

Reference: https://cloud.oracle.com/en\_US/bare-metal-network/vcn/faq