

Vendor:Cisco

**Exam Code:**210-455

**Exam Name:**Introducing Cisco Cloud Administration

Version: Demo

## **QUESTION 1**

To which three statuses can an order be assigned in Cisco UCS Director or Cisco Prime Service Catalog? (Choose three.)

- A. closed
- B. canceled
- C. rejected
- D. completed
- E. hold
- F. waiting

Correct Answer: ABC

## **QUESTION 2**

An engineer is configuring email templates. Which language should be used?

- A. Cloupia scripting language
- B. Java programming language
- C. PHP programming language
- D. JavaScript programming language

Correct Answer: A

## **QUESTION 3**

A cloud engineer intends to deploy a new application that requires web, application, and database tiers. Which option is an advantage of using Cisco Prime Service Catalog stack designer instead of Cisco UCS Director catalog items?

- A. CRS and VSG can be automatically deployed between tiers.
- B. Automation software creates the required virtual machines.
- C. The database installation can be automated though Cisco Puppet integration.
- D. New datastores can be attached to the hypervisors.

Correct Answer: C

#### **QUESTION 4**

A cloud admin must modify a Cisco UCS Director catalog item to deliver more memory options to developers when deploying new applications.
Which policy must be modified to accomplish this task?
A. system
B. compute
C. storage
D. virtualization
Correct Answer: C
QUESTION 5
In Cisco UCS Performance Manager, an engineer wants to set up a custom selection of servers to check server health and monitor status.
The engineer should use which option to complete this task?
A. host group
B. threshold group
C. cluster
D. service profile
Correct Answer: D
QUESTION 6
Which two network management features does Cisco UCS Director provide? (Choose two.)
A. IP and DHCP allocation
B. packet sniffing
C. QoS
D. ability to configure VLANs
E. vNIC, port groups, and port profiles
Correct Answer: DE

## **QUESTION 7**

Which action must an engineer take to create SNMP traps within Cisco UCS Performance Manager?

A. Ensure sufficient bandwidth.
B. Define the SNMP trap host.
C. Create a trigger.
D. Select a port channel.
Correct Answer: C
QUESTION 8
Which step in necessary when configuring a Nexus 1000V switch for use with Microsoft Hyper-V?
A. Create an IP pool template.
B. Create a catalog and a complete logical network.
C. Create catalog and configure IP address management.
D. Create a broadcast network.
Correct Answer: A
QUESTION 9
After a VM fails to be created by Cisco UCS Director, which server must be checked to identify any faults?
A. syslog
B. DNS
C. NTP
D. DHCP
E. SMTP
Correct Answer: A
QUESTION 10
A user wants to verify workflow logging details and provisioning status in Cisco UCS Director.
Which service must be used to complete this action?
A. chargeback reports
B. metering reports

C. cloud sense analytics

D. service request view

Correct Answer: D

## **QUESTION 11**

A Nexus 1000v is installed with the VSM in a switching module and the VEM in a cloud environment. Which statement is incorrect about the VSM and VEM?

- A. VLANs can be shared with multiple VSM installations.
- B. VSM module requires three interfaces such as management, control and packet.
- C. VSM L3 mode uses IP address to communicate with VEM.
- D. SVS domain ID can be same with multiple VSM installations.

Correct Answer: B

## **QUESTION 12**

How many target(s) can one process instance do at one time?

- A. 1
- B. 5
- C. 10
- D. However many attributes are in the target group

Correct Answer: D

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.