

**100%** Money Back  
**Guarantee**

**Vendor:**Cisco

**Exam Code:**300-360

**Exam Name:**Designing Cisco Wireless Enterprise  
Networks

**Version:**Demo

### QUESTION 1

A user is running a new video conferencing application on their laptop and is being disconnected as they move from one access point to another. Which situation will cause these disconnects?

- A. P2P blocking is denying connections
- B. FT is not supported by all clients
- C. AAA override needs to be enabled
- D. WMM must be changed to disabled

Correct Answer: C

---

### QUESTION 2

An engineer is installing a wireless network in an industrial area with extreme temperatures and a significant amount of dust. Which enclosure should be used to protect the APs?

- A. ACU
- B. ADU
- C. NEMA
- D. WLSE

Correct Answer: C

Sometimes access points (APs) are located in areas where they are subject to extreme moisture, temperatures, dust and particles. These APs might need to be mounted inside a sealed enclosure. The NEMA has a rating system for these enclosures, which are generally called NEMA enclosures. Reference:

<http://www.cisco.com/c/en/us/support/docs/wireless-mobility/wireless-lan-wlan/68666-wireless-site-survey-faq.html>

---

### QUESTION 3

An engineer is concerned with the compliance guidelines for human exposure to a rooftop RF transmitter that has been recently installed. What regulation should be reviewed to ensure proper certification?

- A. OSHA 1910.97
- B. FCC QET Bulletin 65
- C. NFPS Article 810
- D. SCEE Section 28.1

Correct Answer: B

Evaluating Compliance with FCC Guidelines for Human Exposure to Radio Frequency Electromagnetic Fields; This

#### QUESTION 4

You are designing a WLAN for 50 branch offices that require central management. Which controller architecture do you use?

- A. per-branch local controllers
- B. anchor controllers
- C. FlexConnect controllers
- D. autonomous access points

Correct Answer: C

---

#### QUESTION 5

When designing a large, high-availability wireless network, what changes to a mobility-group would create less load on the controllers while maintaining the same mobility messages?

- A. remove unnecessary controllers from the mobility-group to cut down on the controller's messaging load
- B. separate the controllers into different mobility-groups per controller to only send relevant messaging to controllers in different groups
- C. configure mobility-group multicast messaging
- D. configure the controllers into separate RF-Groups from the mobility-groups to cut down on controller processing load

Correct Answer: C

---

#### QUESTION 6

Which two modifications to station behaviors were designed in the IEEE 802.11e protocol? (Choose two.)

- A. CFP
- B. HCCA
- C. EDCA
- D. PCF
- E. DCF

Correct Answer: BC

---

### QUESTION 7

An engineer is upgrading the legacy access points to 802.11ac Wave 2 capable access points. The existing gigabit uplinked switches provide 802.3at. Which switch limitation is a concern?

- A. collision domains
- B. high availability
- C. output power
- D. interface throughput

Correct Answer: C

---

### QUESTION 8

You must configure IPv6 to drop unwanted or rogue RA packets that come from wireless clients. Which feature do you enable?

- A. RA throttling
- B. DHCPv6 Server Guard
- C. IPv6 Source Guard
- D. RA guard

Correct Answer: D

---

### QUESTION 9

Which description of the ideal VoWLAN design is true?

- A. smaller cells with all data rates enabled to ensure that all clients can associate
- B. larger cells with higher data rates enabled and WPA2 to secure voice conversations
- C. smaller cells with higher data rates enabled and admission control enabled through WMM
- D. smaller cells with higher data rates enabled and no overlap to prevent co-channel interference

Correct Answer: C

---

### QUESTION 10

Which three reasons describe the importance of assessing existing wired infrastructure when designing a new wireless network? (Choose three.)

- A. determine cable length

- B. determine port bandwidth
- C. determine CAPWAP support
- D. determine PoE requirement
- E. determine quality of service
- F. determine UPS requirement

Correct Answer: ABD

---

#### **QUESTION 11**

An engineer must gather requirements for an upcoming wireless design in a manufacturing facility. Which requirement causes concerns for the customer?

- A. lossless roaming capability
- B. email connectivity
- C. high throughput multimedia applications
- D. intermittent web traffic

Correct Answer: A

---

#### **QUESTION 12**

An engineer is shipping equipment, including a battery, for a wireless survey overseas. To ensure that it is accepted onto the aircraft, the battery must comply with which standard?

- A. EC
- B. FCC
- C. IATA non-restricted
- D. FAA

Correct Answer: C

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

**100%** Guaranteed Success

**100%** Money Back Guarantee

**365** Days Free Update

**Instant Download** After Purchase

**24x7** Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



|   |   |  |
|---|---|--|
|  <p><b>One Year Free Update</b><br/>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p><b>Money Back Guarantee</b><br/>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p><b>Security &amp; Privacy</b><br/>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.