

Vendor: Alcatel-Lucent

Exam Code:4A0-109

Exam Name: Alcatel-Lucent Triple Play Services

Version:Demo

QUESTION 1

Which of the following entities would NOT be configured when using a Bridged CO model?

- A. A subscriber interface on the BNG
- B. A VPLS for unicast traffic on the BSA
- C. A VPLS for multicast traffic on the BSA
- D. An Internet enhanced service on the BNG

Correct Answer: A

QUESTION 2

Which of the following is NOT part of the aggregation network?

- A. BSA
- B. BSAN
- C. B-RAS
- D. BNG

Correct Answer: B

QUESTION 3

The user-name-format command will allow different formats for the authentication request sent to the radius server. What is the default value of the user-name-format?

- A. MAC address
- B. Tuple
- C. Circuit ID
- D. ASCII-converted-circuit-id

Correct Answer: A

QUESTION 4

What is the difference between Split Horizon Groups (SHG) and Residential Split Horizon Groups (RSHG)?

A. The spanning tree protocol is not supported on RSHG members.

- B. An RSHG does not support spoke-SDP members.
- C. Multicast or broadcast downstream traffic is not supported on RSHG members.
- D. Anti-spoofing must be enabled on an RSHG.

Correct Answer: A

QUESTION 5

Which of the following is NOT an AlcateHucent RADIUS vendor-specific attribute (VSA)?

- A. Alc-Subscriber-Sla-Profile-String
- B. Alc-Subscriber-Id-String
- C. Alc-Subscriber-Profile-String
- D. Alc-IPv6-Prefix

Correct Answer: A

QUESTION 6

In the case of a wholesale/retail model with a subscriber session terminated at the retail BNG.which of the following is true?

- A. PPPoE is used on the RG.
- B. IPoE issued on the RG.
- C. L2TP is used on the RG.
- D. ATMoADSL is used on the RG.

Correct Answer: A

QUESTION 7

Which of the following can NOT be used to generate a default subscriber ID?

- A. no def-sub-id
- B. def-sub-id use-sap-id
- C. def-sub-id string
- D. def-sub-id use-random-id

Correct Answer: D

QUESTION 8
To support dual stack subscribers, what is the minimum version of the IOM card on the Alcatel- Lucent 7750 SR?
A. IOM-10g
B. IOM-20g-b
C. IOM2-20g
D. IOM3-xp
Correct Answer: D
QUESTION 9
Which entity is used to identify the access loop to the PPPoE server (BNG)?
A. Option 82
B. Relay Tag
C. Interface ID
D. Loop ID
Correct Answer: B
QUESTION 10
For which entity does the command session-limit specify the number of PPPoE hosts allowed?
A. VPRN service
B. Subscriber interface
C. Group interface
D. SAP
Correct Answer: C

QUESTION 11

In the case of wholesale/retail model with an IP-VPN deployment model, where is the IPoE session terminated?

- A. At the BSAN
- B. At the wholesale BNG

- C. At the retail BNG
- D. At the Internet peering router

Correct Answer: B

QUESTION 12

What is the effect of enabling anti-spoofing on a SAP?

- A. Ingress traffic with an unknown destination MAC address is dropped.
- B. Egress traffic towards a subscriber with an unknown IP address is dropped.
- C. All traffic towards another subscriber is dropped.
- D. Ingress traffic with an unregistered source IP address is dropped.

Correct Answer: D

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.