Exam : 510-015

Title : ase 12.0 server

Administration professional

Version : DEMO

## 1. Given:

The employees table has an index created as follows: create index emp\_index1on employees(last\_name, first\_name desc)

Which of the following queries would not require a sort? (Choose 2)

- A. select \* from employees order by last\_name, first\_name
- B. select \* from employees order by last\_name ASC, first\_name DESC
- C. select \* from employees order by first\_name DESC, last\_name ASC
- D. select \* from employees order by last\_name DESC, first\_name ASC Answer: BD
- 2. Given: number of worker processes = 10, max parallel degree = 5, max scan parallel degree = 4. Table A has the following characteristics: Datarows locking, No indexes, a column named price, 5000 rows, 4 partitions. A user executes the following query: Select \* from A where price < \$10. Which of the following conditions would cause the query to run in serial instead of parallel? (Choose 2)
- A. there are not enough worker processes available at run time
- B. the database option select into/bulkcopy/pllsort is not set to true
- C. the partition skew is 2.3
- D. the database is set for single user mode
- E. max parallel degree does not match the number of partitions Answer: AC
- 3. Which of the following statements describes readpast locking? (Choose 2)
- A. It can be specified at the session, transaction, and table level.
- B. It allows insert, update, and delete commands to read past any incompatible lock.
- C. It allows readers to not block writers.
- D. It allows select and readtext queries to silently skip all rows or pages locked with incompatible locks. Answer: BD
- 4. The ACME company has an 8 CPU SMP system running Adaptive Server Enterprise (ASE). The ASE server has been allocated 1.5 GB of 2.0 GB of memory available. The ASE server has been allocated 2 engines. There are 1,000 concurrent users of the ASE server.

The sp\_sysmon report shows the spinlock contention rate averages 70-80% for the default data cache. Which steps can be taken to correct this performance problem?

- A. Add a 16KB buffer pool to the server.
- B. Increase the size of the tempdb database.
- C. Add two engines to the ASE server.
- D. Add named caches to and bind the appropriate objects to the named caches.
- E. Add more locks to the server.

Answer: D

- 5. What is the purpose of dsync flag?
- A. to synchronize primary and mirrored devices
- B. to synchronize primary and secondary databases
- C. to control whether writes to operating system files are buffered or not
- D. to control Backup Server's access to a dump device

Answer: C

- 6. All of the following execution class associations exist in the ASE when user FRED, running application ctisql, logs in. Which one will be applied to FREDs session?
- A. sp\_bindexeclass ctisql, AP, NULL, EC1
- B. sp\_bindexeclass ctisql, AP, FRED, EC2
- C. sp\_bindexeclass FRED, LG, NULL, EC1
- D. sp bindexeclass FRED, LG, ctisql, EC2
- E. It depends on the order of the creation of the bindings

Answer: B

- 7. The reorg command may be used to: (Choose 2)
- A. Compact a table that uses datarows locking.
- B. Reclaim unused space in a table that uses allpages locking.
- C. Reclaim unused space in an index that uses datapages locking.

D. Rebuild a table that uses allpages lo Answer: AC	ocking.		
8. What are some ways to reduce last A. alter the table to use the Datarows B. alter the table to use the Datapage C. partition the table D. create a clustered index on a rand E. increase the server configuration for F. increase the server configuration for Answer: ACD	locking sches locking so dom key or the numb	neme cheme per of locks	
<ul> <li>9. The "abstract plan language" is:</li> <li>A. A language used to tell the optimiz</li> <li>B. The internal command language use</li> <li>C. A new type of command language</li> <li>D. The language used internally by the Answer: A</li> </ul>	sed by sp_s for creating	sysmon. g very comp	licated queries.
10. Which two actions can cause lock A. create table in tempdb B. select into a #temptable C. worktables created for reformatting D. selecting from a large table in temptahswer: AB	)	em tables in	n tempdb? (Choose 2.)
11. Review the sp_sysmon section. below Procedure Cache anagement	per sec	per xact	count % of total

Procedure Requests	242.6	5.4	150267	n/a
Procedure Reads from Disk	1.8	0.0	1104	0.7 %
Procedure Writes to Disk	0.0	0.0	0	0.0 %
Procedure Removals	3.5	0.1	2180	n/a

Which statement is correct about this server's stored procedure activity?

A. This ASE server executes one committed transaction for each stored procedure executed.

- B. 99.3% of the stored procedures are run using the WITH RECOMPILE option.
- C. This report fragment is useful when sizing the Procedure Cache of ASE.
- D. Additional online engines will be required to allow more stored procedures to execute per second. Answer: C
- 12. When a row is deleted on a table with datarows locking:
- A. Rows on the page are moved up so the empty space is at the end of the page.
- B. The space occupied by the deleted row is not reclaimed immediately.
- C. The space occupied by the deleted row is filled with zeros.
- D. The last row on the page is moved into the space created by the deleted row.

Answer: B

- 13. What are some ways to reduce last data page lock contention for inserts? (Choose 3)
- A. alter the table to use the Datarows locking scheme
- B. alter the table to use the Datapages locking scheme
- C. partition the table
- D. create a clustered index on a random key
- E. increase the server configuration for the number of locks
- F. increase the server configuration for the deadlock checking period Answer: ACD
- 14. The following query is executed frequently against the database. select a.au\_fname, a.au\_lname, ad.street, ad.city, ad.state, ad.zip

from authors a, author\_address ad where a.au\_id = ad.au\_id What database denormalization technique could be used to improve the performance of this query?

- A. Move the au\_lname and au\_fname columns to the author\_address table.
- B. Collapse the author\_address and authors table into a single table.
- C. Move the city, state, and zip columns to the authors table.
- D. Create a view called mailing address to eliminate the two table join from the query.
- E. Add the redundant column au\_id to the author\_address table.

Answer: B

- 15. The titles table has 50,000 rows and a nonclustered index on the price column. Which of the following queries use less logical I/Os?
- A. select "Min" = min(price), "Max" = max(price) from titles
- B. select "Min" = (select min(price) from titles), "Max" = (select max(price) from titles)
- C. They will both use the same number of I/Os

Answer: B

- 16. An application uses stored procedures to perform updates, inserts and deletes for an OLTP application. Some update stored procedures optimize with a join order of table\_A -> table\_B. Other stored procedures optimize with a join order of table\_B -> table\_A. Which solution needs to be added within the stored procedures to guarantee that deadlocks are reduced or eliminated by always making the join order table\_A -> table\_B?
- A. Non-correlated subqueries to force outside-in processing
- B. SET FORCEPLAN ON
- C. (index tableorder 1) an index hint applied to table A
- D. SET SHOWPLAN ON
- E. Define join-ordered Views on the affected tables

Answer: B

17. The following are the server level lock promotion configuration parameters: page lock promotion HWM 200 page lock promotion LWM 100 page lock promotion PCT 60 row lock promotion HWM 1800 row lock promotion LWM 1200 row lock promotion PCT 70 Table A is a datarows locked table. It has 200 data pages and every page has 10 data rows. A serial query has acquired 1400 data row locks. What kind of lock promotion will be attempted?

A. No lock promotion
B. Promotion to 140 page locks C. Promotion to 140 page locks, then to a table lock
D. Promotion to a table lock Answer: D
18. Given the following cursor code fragment, declare title_cursor cursor for select price from title for update go
declare@price moneyopen title_cursor fetch title_cursor into @price
What locks are held on the row or data page with each fetch?
A. Update locks
B. Exclusive locks
C. Shared locks
D. No locks are held Answer: A
19. Increasing the number of pre-allocated extents to 16 is likely to help the performance of which of the following operations?
A. index creation
B. bcp in
C. select into
D. alter table lock datarows
E. dbcc checkstorage Answer: B
20. If a DBA detects many page splits after data has been sequentially inserted by an application, what is the best option to minimize the number of future page splits?
A. deactivate the ascinserts option on the table
B. set the max_row_per_page to a low value
C. set the fillfactor to a low value at server level

D. activate the ascinserts option on the table

E. set the fillfactor to a low value at table level

Answer: D

This document was created with Win2PDF available at <a href="http://www.win2pdf.com">http://www.win2pdf.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.