

Vendor:Cisco

Exam Code:640-911

Exam Name:Introducing Cisco Data Center

Networking (Retired)

Version: Demo

E. OSPF

QUESTION 1
Which layer of the OSI model is associated with the reliable transmission of datagrams?
A. Datagram
B. Routing
C. Network
D. Data link
E. Transport
F. Transmission
G. Session
Correct Answer: E
http://en.wikipedia.org/wiki/Transport_layer
QUESTION 2
What is the minimum number of fabric modules that should be installed in the Cisco Nexus 7000 chassis for N 1 redundancy using M1-Series line card?
A. 3
B. 4
C. 5
D. 6
Correct Answer: A
QUESTION 3
Which protocol operates at Layer 3 of OSI model and is used for host addressing?
A. TCP
B. UDP
C. IP
D. RIP

Corroct	Answer:	\sim
Correct	Answer:	ι,

QUESTION 4

For a router to do an IP routing process, which part of a packet must be checked before consulting the routing table?

- A. destination IP address
- B. source IP address
- C. destination MAC address
- D. source MAC address

Correct Answer: A

QUESTION 5

A network administrator is tasked with creating a switched virtual interface for VLAN 100 on a new Cisco Nexus switch. Which two commands does the network administrator need? (Choose two.)

- A. feature interface-vlan
- B. interface vlan 100
- C. feature private-vlan
- D. interface 100
- E. interface mgmt 100

Correct Answer: AB

QUESTION 6

Which two MAC addresses are valid? (Choose two.)

- A. 00:10:74:C9:CD:C0
- B. 0010.CC71.4BF9.AE0E.AE0E
- C. 00:10:F9:F9:CC:70:8D:80
- D. 0010.E686.3ED4
- E. 0010.68F7

Correct Answer: AD

QUESTION 7

Where are start-up configurations saved on a Cisco router?

A. Flash

B. ROM

C. NVRAM

D. Boot Flash

Correct Answer: C

QUESTION 8

What is the correct format of an access control list on a Cisco Nexus switch to deny hosts on the 172.16.1.0/21 network from accessing HTTP proxy servers listening on port 8080?

A. N5K-A(config)# ip access-list 101N5K-A(config-acl)# deny tcp 172.16.1.0 0.0.7.255 any eq 8080N5K-A(config-acl)# permit ip any any

B. N5K-A(config)# ip access-list 101N5K-A(config-acl)# deny tcp any 172.16.1.0 255.255.248.0 eq 8080N5K-A(config-acl)# permit ip any any

C. N5K-A(config)#access-list 101 deny tcp172.16.1.0 0.0.15.255 eq 8080

D. N5K-A(config)# ip access-list 101N5K-A(config-acl)# deny tcp any host 172.16.1.0/21 eq

Correct Answer: A

QUESTION 9

In which Cisco IOS mode of a Cisco router could an engineer issue show commands for verification purposes?

A. enable EXEC mode

B. user EXEC mode

C. global configuration mode

D. interface level mode

Correct Answer: A

QUESTION 10

What are three important factors when configuring VTP on the Cisco Nexus switching platform? (Choose three.)

A. VLAN 1 must be disabled on the trunk port in order for VTP to work properly.

- B. The VDC administrator or network administrator must enable VTP on the device.
- C. VTP is enabled on all trunk ports by default.
- D. It does not matter which VDC you are working in when you configure VTP on the Cisco Nexus 7000.
- E. For a device operating in VTP client mode, the password and domain name must be properly set.
- F. In VTP server mode, the device will store VLAN information in bootflash.
- G. Per device, VTP configuration is stored in a file named vtp.conf.
- H. VTP pruning can be used on Cisco NX-OS devices.

Correct Answer: BFG

QUESTION 11

How many supervisor engines must a Cisco Nexus chassis contain to support the In- Service Software Update feature?

A. 2

B. 3

C. 4 D. 1

Correct Answer: A

QUESTION 12

Which three statements are true concerning RFC 1918 IP addresses? (Choose three.)

- A. They are globally routable.
- B. They are not globally routable.
- C. They must not be filtered at Internet border interfaces.
- D. They should be filtered at Internet border interfaces.
- E. They include 10.0.0.0/8, 172.16.0.0/16, and 192.168.1.0/24.
- F. They include 10.0.0.0/8, 172.16.0.0/12, and 192.168.0.0/16.

Correct Answer: BDF

"The Internet Assigned Numbers Authority (IANA) has reserved the following three blocks of the IP address space for private internets:

10.0.0.0 - 10.255.255.255 (10/8 prefix)

172.16.0.0 - 172.31.255.255 (172.16/12 prefix)

192.168.0.0 - 192.168.255.255 (192.168/16 prefix)" http://tools.ietf.org/html/rfc1918

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.