

**100% Money Back
Guarantee**

Vendor:IBM

Exam Code:COG-310

Exam Name:IBM Cognos TM1 Developer

Version:Demo

QUESTION 1

Which of the following options should an application developer use when they need to verify the children of a selected consolidated cell are fed properly?

- A. Check calculations
- B. Trace calculations
- C. Trace feeders
- D. Check feeders

Correct Answer: D

QUESTION 2

An application developer must create a process to build subsets for a dimension and add elements from an ODBC source.

Which Turbo Integrator script should be used to update the subsets?

- A. Epilog
- B. Parameters
- C. Prolog
- D. Metadata

Correct Answer: D

QUESTION 3

Why would an application developer create a lookup cube in TM1?

- A. To browse data in the cube.
- B. To create a formatted report.
- C. To reference data in another cube.
- D. To store similar data in the same cube.

Correct Answer: C

QUESTION 4

Which of the following spreading methods may use a lookup cube as the basis for the spread?

- A. Proportional
- B. Repeat
- C. Percent change
- D. Relative proportional

Correct Answer: D

QUESTION 5

When should an application developer turn on Enable Cube Logging in a Turbo Integrator process?

- A. When a cube is created.
- B. When changes are made to a cube.
- C. When changes are made to a script.
- D. When a script is created.

Correct Answer: B

QUESTION 6

An application developer needs to provide dates in a number of formats in a cube.

Which of the following should be used to do this?

- A. Create many time dimensions and use each accordingly.
- B. Create a single time dimension with attributes for the formats.
- C. Create many time dimensions and use them all in the same cube.
- D. Create a single time dimension with rules in cubes to alter the appearance.

Correct Answer: B

QUESTION 7

Which of the following attributes can be used to display element names in multiple languages?

- A. Text
- B. String
- C. Alias
- D. Format

Correct Answer: C

QUESTION 8

When using TI to import data, each column in the source is assigned to which of the following?

- A. Content
- B. Map
- C. Formula
- D. Variable

Correct Answer: D

QUESTION 9

An application developer is creating a sales forecasting application that will look at sales trends by day, including weekends and holidays.

Which of the following time structures should be used?

- A. Discrete
- B. Automatic
- C. Continuous
- D. Constant

Correct Answer: C

QUESTION 10

Which of the following is the best location to calculate a formula once a month, when the data is updated?

- A. Rule
- B. Hierarchy
- C. Turbo Integrator
- D. Relational Database

Correct Answer: C

QUESTION 11

When executing a script to load data into the Reporting cube, the application developer must manually indicate which year the data represents.

Which of the following should be applied to the script?

- A. Variables
- B. Parameters
- C. Metadata
- D. Attributes

Correct Answer: B

QUESTION 12

When creating a drill assignment rule, what kind of rule must it be?

- A. String
- B. Simple
- C. Consolidated
- D. Leaf

Correct Answer: A