

100% Money Back
Guarantee

Vendor:Huawei

Exam Code:H12-211

Exam Name:HCIA-Routing & Switching V2.2

Version:Demo

QUESTION 1

As shown in the following figure, which position should the AH header in IPsec transmission mode be inserted into?



- A. 2
- B. 3
- C. 4
- D. 1

Correct Answer: A

QUESTION 2

A trunk port can send both tagged data frames and unlabeled data frames.

- A. Correct
- B. Error

Correct Answer: A

QUESTION 3

On a frame relay network, a static MAP has been configured on an interface. If you continue to configure the `fr inarp` command, the interface will send an Inverse. The ARP request packet is sent to the peer and the static MAP record is overwritten.

- A. Correct
- B. Error

Correct Answer: B

QUESTION 4

If the configuration information of a router is as follows, which user name and password are used by the peer router to perform PPP link authentication?

```
aaa local-user test password cipher test local-user test service-type ppp local-user test1 password cipher test1 local-user test1 service-type telnet local-user test2 password cipher test2 # interface Serial1/0/0 link-protocol ppp ppp authentication-mode pap ip address 10.0.12.1 255.255.255.0 #
```

- A. User name: test Password: test
- B. User name: test1 Password: test1
- C. User name: test2 Password: test2
- D. User name: test2 Password: test

Correct Answer: A

QUESTION 5

You cannot create VLAN 4095 when creating a VLAN rule on a Huawei switch. You cannot delete VLAN 1.

- A. Correct
- B. Error

Correct Answer: A

QUESTION 6

When using Telnet to log in to the router, which authentication methods can I choose? (choose 2 answers)

- A. password authentication
- B. AAA local certification
- C. MD5 ciphertext authentication
- D. Not certified

Correct Answer: AB

QUESTION 7

In the case of Huawei router, what is the "-i" parameter in a Ping command issued on a VRP operating system used to set?

- A. Interface for sending an Echo Request packet
- B. Source IP address for sending an Echo Request packet
- C. Interface for receiving an Echo Reply packet
- D. Destination IP address for receiving an Echo Reply packet

Correct Answer: A

QUESTION 8


The following static route configuration is correct (). (multiple choice)

- A. ip route-static 129.1.0.0 16 serial 0
- B. ip route-static 10.0.0.2 16 129.1.0.0
- C. ip route-static 129.1.0.0 16 10.0.0.2
- D. ip route-static 129.1.0.0 255.255.0.0 10.0.0.2

Correct Answer: ACD

QUESTION 9

Referring to the configuration of the one-arm route in the following figure, it can be judged that even if the ARP proxy is not enabled on the sub-interface of R1, between the administrative department and the finance department Can also visit each other.



A. Yes

B. Wrong

Correct Answer: B

QUESTION 10

Refer to the graphic. The network administrator has configured ACL 2000 to filter packets on RTA, as shown.

Which of following statements regarding the subsequent behavior are correct? (Choose two).

- A. RTA will forward packets received from Host A.
- B. RTA will drop packets received from Host A.
- C. RTA will forward packets received from Host B.
- D. RTA will drop packets received from Host B.

Correct Answer: BC

QUESTION 11

What is the encryption algorithm used by CHAP in PPP?

- A. DES
- B. MD5
- C. AES
- D. Do not use encryption algorithms

Correct Answer: B

QUESTION 12

system view [Huawei]command privilege level 3 view user save The correct statement about the above configuration command is ()

- A. Modify the save command of a user to have a permission level of 3
- B. Modify the permission level of the save command in the user view to 3
- C. Modify the user view command to a permission level of 3, and save the configuration
- D. Modify the user's permission level to 3, and save the configuration

Correct Answer: B