

**100% Money Back
Guarantee**

Vendor:Juniper

Exam Code:JN0-332

Exam Name:Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

Version:Demo

QUESTION 1

Which statement describes the function of screen options?

- A. Screen options encrypt transit traffic in a tunnel.
- B. Screen options protect against various attacks on traffic entering a security device.
- C. Screen options translate a private address to a public address.
- D. Screen options restrict or permit users individually or in a group.

Correct Answer: B

QUESTION 2

What are two valid network prefixes in address books? (Choose two.)

- A. 172.16.3.11/29
- B. 172.16.0.0/16
- C. 172.16.3.11/32
- D. 172.16.3.11/24

Correct Answer: BC

QUESTION 3

Click the Exhibit button.

```
user@host> show security flow session
Session ID: 30099, Policy name: ALLOW_SSH/18, State: Active, Timeout: 1790,
Valid
    In: 1.1.1.1/59837 --> 1.1.1.123/22;tcp, If: ge-0/0/3.0, Pkts: 17, Bytes:
3625
    Out: 10.200.103.100/22 --> 1.1.1.1/59837;tcp, Ii: reth1.103, Pkts: 16,
Bytes: 3253
Total sessions: 1
```

Referring to the exhibit, which type of NAT is occurring on the SRX Series device?

- A. source NAT without PAT
- B. destination NAT with PAT

C. source NAT with PAT

D. destination NAT without PAT

Correct Answer: B

QUESTION 4

Which two statements are correct about establishing a chassis cluster with IPv6? (Choose two.)

- A. Only an active/passive cluster can be deployed.
- B. Dual-stacked interface addresses are allowed.
- C. IPsec site-to-site VPNs over IPv6 are supported.
- D. IPv6 address book entries can be used.

Correct Answer: BD

QUESTION 5

Which configuration keyword ensures that all in-progress sessions are re-evaluated upon committing a security policy change?

- A. policy-rematch
- B. policy-evaluate
- C. rematch-policy
- D. evaluate-policy

Correct Answer: A

QUESTION 6

Which two statements are true about pool-based destination NAT? (Choose two.)

- A. It also supports PAT.
- B. PAT is not supported.
- C. It allows the use of an address pool.
- D. It requires you to configure an address in the junos-global zone.

Correct Answer: AC

QUESTION 7

What is the default session timeout for UDP sessions?

- A. 30 seconds
- B. 1 minute
- C. 5 minutes
- D. 30 minutes

Correct Answer: B

QUESTION 8

Which two statements are true about route-based VPNs? (Choose two.)

- A. Route-based VPNs cannot be used to configure remote access or dialup VPNs.
- B. The from-zone and to-zone, for a security policy to permit traffic over a route-based VPN, are derived from the zone in which the protected network lies and the zone in which the IKE interface lies.
- C. system services ike must be enabled on the st0.x interface.
- D. You cannot re-write the DSCP bits on the inner IP header of an ESP packet that was created or forwarded using a route-based VPN.

Correct Answer: AD

QUESTION 9

What are three types of reconnaissance attacks? (Choose three)

- A. IP address sweep
- B. Port scanning
- C. Denial of service
- D. IP options
- E. Teardrop

Correct Answer: ABD

QUESTION 10

Which three actions can a branch SRX Series device perform on a spam e-mail message? (Choose three.)

- A. It can drop the connection at the IP address level.

- B. It can block the e-mail based upon the sender ID.
- C. It can allow the e-mail and bypass all UTM inspection.
- D. It can allow the e-mail to be forwarded, but change the intended recipient to a new e-mail address.
- E. It can allow the e-mail to be forwarded to the destination, but tag it with a custom value in the subject line.

Correct Answer: ABE

QUESTION 11

Which two statements are true for both express antivirus and full file-based antivirus? (Choose two.)

- A. Signature updates of the pattern database are obtained from Symantec.
- B. Intelligent prescreening functionality is identical in both express antivirus and full antivirus.
- C. Both express antivirus and full file-based antivirus use the same scan engines.
- D. The database pattern server is available through both HTTP and HTTPS.

Correct Answer: BD

QUESTION 12

You are asked to set up a chassis cluster between your SRX Series devices. You must ensure that the solution provides both dual redundant links per node and node redundancy.

Which setting should you use?

- A. aggregated Ethernet
- B. redundant Ethernet
- C. aggregated Ethernet LAG
- D. redundant Ethernet LAG

Correct Answer: D