

100% Money Back
Guarantee

Vendor:Android

Exam Code:AND-401

Exam Name:Android Application Development

Version:Demo

QUESTION 1

Which of the following best explains the Android option menus?

- A. It is a popup menu that displays a list of items in a vertical list anchored to the view that invoked the menu.
- B. It is a floating menu that appears when the user performs a long-click on an element. It provides actions that affect the selected content or context frame.
- C. It is the primary collection of menu items for an activity where you should place actions that have a global impact on the app, such as "Search," "Compose email," and "Settings."
- D. It is a type of List Activity with predefined headers and footers for special commands.

Correct Answer: B

QUESTION 2

Which file specifies the minimum required Android SDK version your application supports?

- A. main.xml
- B. R.java
- C. strings.xml
- D. AndroidManifest.xml

Correct Answer: D

QUESTION 3

Which of the following Activity life-cycle methods is called once the activity is no longer visible?

- A. onStop
- B. onPause
- C. onDestroy
- D. onHide

Correct Answer: A

QUESTION 4

Which of following is incorrect about the Toast class?

- A. You cannot set a custom layout for a Toast.

- B. You cannot set a custom layout for a Toast There is no need to close or hide a Toast, since it closes automatically.
- C. There is no need to close or hide a Toast, since it closes automatically.
- D. A Toast is displayed for only one of the following periods: Toast.LENGHT_SHORT or Toast.LENGTH_LONG.

Correct Answer: B

QUESTION 5

The DalvikVM core libraries are a subset of which of the following?

- A. Java ME
- B. Java SE
- C. Java EE
- D. JAX-WS

Correct Answer: B

QUESTION 6

Which of these is not defined as a process state?

- A. Non-visible
- B. A Visible
- C. Foreground
- D. Background

Correct Answer: A

QUESTION 7

Which of the following is true about the Dialog class? (Choose two)

- A. You can add a custom layout to a dialog using setContentView().
- B. A dialog has a life-cycle independent of the Activity.
- C. A dialog is displayed on the screen using method show().
- D. It does not have a method to access the activity that owns it.

Correct Answer: AC

QUESTION 8

Consider the following the code :

```
public boolean onCreateOptionsMenu(Menu menu) {  
    MenuInflater inflater = getMenuInflater();  
    inflater.inflate(R.menu.game_menu, menu);  
    return true;  
}
```

Which of the following is true about the code above?

- A. The code is auto generated and should not be edited.
- B. This method handles clicks and assign actions to menu items.
- C. This function inflates an XML file in the res/menu folder into menu items.
- D. This method inflates an XML file in the res/layout folder into layout.

Correct Answer: C

QUESTION 9

Which of the following is NOT true about class ListActivity?

- A. An activity that displays a list of items by binding to a data set.
- B. Its layout must be set by calling method setContentView inside onCreate.
- C. It contains a ListView object that can be bound to different data sets. Binding, screen layout, and row layout are discussed in the following sections.
- D. A data source that can be bound in a ListActivity can be an array or Cursor holding query results.

Correct Answer: B

QUESTION 10

What is the name of the class used by Intent to store additional information?

- A. Extra
- B. Parcelable
- C. Bundle
- D. DataStore

Correct Answer: C

QUESTION 11

Which of the following tools dumps system log messages including stack traces when the device or emulator throws an error?

- A. DDMS
- B. Logcat
- C. Console
- D. ADB

Correct Answer: B

QUESTION 12

Consider the following :

```
public boolean onOptionsItemSelected(MenuItem item) {  
    switch (item.getItemId()) {  
        case R.id.create_new:  
            newFile();  
            return true  
        default:  
            return super.onOptionsItemSelected(item);  
    }  
}
```

} Upon clicking on one of the menu items, the application did not behave as intended. Which of the following might be the cause of this problem?

- A. The developer did not set `onClick` listener on the menu item.
- B. The developer did not include a case that corresponds to the menu item in method `onOptionsItemSelected`.

- C. The developer should create `onOptionsItemSelected` method for each menu item.
- D. The developer should add the item to the menu resource file.

Correct Answer: B

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.