

100% Money Back
Guarantee

Vendor:Axis Communications

Exam Code:AX0-100

Exam Name:Axis Network Video Exam

Version:Demo

QUESTION 1

Where is the best place to mount a camera with a fixed iris?

- A. Outside, on a pole
- B. Inside, in a room with large windows
- C. Outside, in a shadowed position
- D. Inside, in a room with very strong light sources

Correct Answer: D

QUESTION 2

If an installer wants to configure 20 cameras to show the same synchronized date and time in Live View, how can this be achieved?

- A. Adapt the date and time from a client computer when using the camera configuration tool
- B. Synchronize the date and time with a remote FTP server by downloading files from the server
- C. Synchronize the date and time with a remote NTP server
- D. Fetch the date and time from the installed root certificate

Correct Answer: C

QUESTION 3

If a surveillance camera is installed in an environment with fluorescent lighting, which effect may this have on the video quality?

- A. Increased color saturation
- B. Flickering effects on video
- C. Increased random noise
- D. Motion blur on moving objects

Correct Answer: B

QUESTION 4

An analog system that should be upgraded to IP using encoders must have the end of the analog signal terminated.

How many Ohm () should that be?

B. 55

C. 60

D. 75

Correct Answer: D

QUESTION 5

AXIS Design Tool is used for

A. Estimating bandwidth and creating a bill of materials.

B. Determining camera coverage and creating a bill of materials.

C. Selecting the right cameras and choosing AXIS Camera Station licenses.

D. Plan network topology and determining camera coverage.

Correct Answer: A

QUESTION 6

Which statement is true for broadcast network traffic?

A. Broadcast is designed to enable optimized video transmission, since it tolerates network dropouts

B. Broadcast is not practical for network video transmission, since packets are transmitted to every device on the network

C. Broadcast is a method for sending video to many recipients over the internet even though their bandwidths vary

D. Broadcast data packet length is longer than normal Ethernet packets, to accommodate a full video frame

Correct Answer: B

QUESTION 7

The purpose of DHCP is to

A. Allocate IP addresses to devices within a network.

B. Allocate MAC addresses to devices within a network.

C. Translate host names such as www.axis.com to IP addresses.

D. Translate host names such as www.axis.com to MAC addresses.

Correct Answer: A

QUESTION 8



A camera is positioned where backlighting is a problem. What would be the preferred action?

A. Use a lens with a polarized filter

B. Axis P-iris technology will solve your problem

C. Increase the shutter speed to more than 1 /100 s

D. Add additional light sources to counter backlighting

Correct Answer: D

QUESTION 9

A customer asks for a fixed mini dome with a DC-iris lens. 2.8-10 mm varifocal lens and wide dynamic range. Which of the following cameras is the only choice to fit all of the requirements?

- A. AXIS P3301
- B. AXIS M3203
- C. AXIS Q1604
- D. AXIS M5014

Correct Answer: A

QUESTION 10

Which of the following conditions has to be met to use multicast streaming?

- A. The network infrastructure has to support multicast
- B. The client has to run AXIS Camera Management or AXIS Camera Station
- C. The client has to support streaming over RTSP
- D. The video device needs to run on firmware version 5.20 or higher

Correct Answer: A

QUESTION 11

Which of the following are outdoor rated products? (Choose two)

- A. AXIS M3114-R
- B. AXIS P3304-VR
- C. AXIS P1344-E
- D. AXIS P3344-VE
- E. AXIS M1031-W

Correct Answer: CD

QUESTION 12

Which feature in Axis cameras allows for a fixed box style camera to tell a PTZ camera to move to a preset?

- A. HTTP server
- B. QoS

C. FTP server

D. TCP/IP

Correct Answer: A