

Vendor: IBM

Exam Code: C2020-013

Exam Name: IBM SPSS Modeler Data Mining for

Business Partners v2

Version: Demo

QUESTION 1

True or false: in the stream below, the CHAID node and Neural Net node can be combined in a single Supernode.




A. True

B. False

Correct Answer: B

QUESTION 2

True or false: given the information in the Data Audit Quality table below, The generated Filter node will exclude only the fields logwire, logequi, logtoll, and logcard.



A. True

B. False

Correct Answer: A

QUESTION 3

An online retailer wants to identify groups of customers based on components of their buying behavior, such as types of products purchased, volume of purchases, and frequency of purchases. What type of model would be used?

- A. Association model
- B. Segmentation model
- C. Classification model
- D. Sequence model

Correct Answer: B

QUESTION 4

Which node is used to read data from a comma delimited text file?

- A. Var. File
- B. Data Collection
- C. Fixed File
- D. Statistics File

Correct Answer: A

QUESTION 5

True or false: auto checking for invalid values can be done on the Type tab in any Source node.

- A. True
- B. False

Correct Answer: A

QUESTION 6

A prison system has historical data on prison inmates and wants to find what factors are related to recidivism (return to prison). What type of model would be used?

- A. Segmentation model
- B. Classification model
- C. Association model

Correct Answer: B
QUESTION 7
Which node can be used to impute (estimate) missing values?
A. Data Audit node
B. Balance node
C. Filler node
D. Reclassify node
Correct Answer: A
QUESTION 8
True or false: the optimal binning method in the Binning node uses a Supervisor field to determine the binning cut points.
A. True
B. False
Correct Answer: A
QUESTION 9
Which method would be used on the Merge node in order to combine a file containing 100 products and a file containing 50 suppliers and retain only the matching records?
A. Inner join
B. Anti-join
C. Full outer join
D. Partial outer join
Correct Answer: A
QUESTION 10


Which node can be used to easily generate a field that divides the data into subsamples for the Training and Testing stages of modeling?

- A. Sample
- B. Filler
- C. Balance
- D. Partition

Correct Answer: D

QUESTION 11

Given the Type node shown below,



What specifications are necessary to change all values outside the range 1 to 15 in field dropped_calls to the undefined (\$null\$) value?

- A. Pass Values and Check action Nullify
- B. Specify Values Lower 1 and Upper 15 and Check action Nullify
- C. Specify Values Lower 1 and Upper 15 and Check action Discard
- D. Read Values and Check action Warn

Correct Answer: B

QUESTION 12

Which of the following types of nodes will have data flowing both in and out, when used in	a stream?
--	-----------

- A. Record Ops
- B. Graphs
- C. Export
- D. Sources

Correct Answer: A

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.