

Vendor: IBM

Exam Code: C2020-105

Exam Name: IBM Cognos 8 BI Technical Specialist

Version: Demo

# **Question No:1**

Each time a configuration is altered and saved, date-stamped versions of these two configuration files are automatically saved in the c8\_location/configuration directory. What are these two files?

- A. cogformat.xsd and cqeconfig.xsd
- B. cogstartup.xml and coglocale.xml
- C. cogserver.xml and cogstartup.xml
- D. cogstartup.xsd and coglocale.xsd

**Answer: B** 

# **Question No: 2**

Which is true about the Cognos 8 Tempfiles?

- **A.** Access rights should only be given to the service account that starts the Cognos 8 Service.
- **B.** Cognos recommends that Temporary files remain on the installation drive.
- **C.** They are secured to the UserID for whom they were created.
- **D.** They must remain un-encrypted at all times.

**Answer: A** 

#### **Question No: 3**

High Affinity Requests are processed by a High Affinity Connection. Low Affinity Requests are processed by a Low Affinity Connection. What type of connection will process an Absolute Affinity Request?

- A. A Low Affinity Connection
- **B.** A Medium Affinity Connection
- C. A High Affinity Connection
- D. A Direct Affinity Connection

**Answer: C** 

# **Question No: 4**

A customer has asked if it is possible to tune the Tomcat application server for better scalability. Which of these will specifically tune the Tomcat application server?

- A. Tune the FetchBufferSize in the Cogdmor.ini.
- **B.** Tune the Compression Ratio in the MetaBase.xml.
- **C.** Tune the ConnectionPoolSize in the CqeConfig.xml.
- **D.** Tune the AcceptCount and MaxProcessors in the Server.xml.

**Answer: D** 

#### **Question No:5**

Which of the following is a high-affinity request?

- A. HTML page down
- B. Test data source connectivity
- C. Reportprocessing
- **D.** Query validation

**Answer: A** 

# **Question No: 6**

Which Cognos 8 Service runs outside the servlet container?

- A. Job Service
- **B.** Delivery Service
- C. Data Integration
- **D.** Report Service

**Answer: D** 

# **Question No:7**

What protocol is requiredfor securing Cognos 8 in a Linux/UNIX environment with Active Directory?

- A. Active Directory Protocol
- **B.** Bouncy Castle
- C. LDAP protocol
- D. OAS for Linux Drivers

**Answer: C** 

#### **Question No: 8**

What is true about Content Manager?

- **A.** It requires an external security provider.
- **B.** It provides metadata to other Cognos services.
- **C.** It can only have one Stand-by Content Manager per environment.
- **D.** It may be load balanced.

**Answer: B** 

#### **Question No:9**

What protocol is used for the BIBus inter-component communication?

- A. HTML
- B. TCP/IP
- C. HTTP
- D. HTTPS

**Answer: B** 

#### **Question No: 10**

When trying to access the Cognos 8 BI application, users are receiving a HTTP 404 error. What may be the cause of this error?

- **A.** URL buffer length has been exceeded.
- **B.** Too many users accessing the web page.
- **C.** Cognos 8 virtual directories have not been created.
- **D.** Access is being denied by security.

**Answer: C** 

# **Question No: 11**

What network communication protocol is used between the Web Server and the Cognos 8dispatcher?

- A. SOAP
- B. XML
- C. HTTP
- D. XSLT

**Answer: C** 

# **Question No: 12**

As it relates to the Cognos products, what is Garbage Collection (GC)?

- A. JVM releasing objects back to memory.
- **B.** Cognos 8 and CRN clearing up temp files.
- **C.** Clearing up old Cognos 8 reports.
- **D.** Removing unused report views.

**Answer: A** 

#### **Question No: 13**

On the customer's Content Manager Server, the IT department has installed the 64-bit Oracle Client. What best describes the use of a 64-bit Oracle Client with the Cognos8 product?

- **A.** Cognos 8 may use the 64-bit client drivers to connect to the data stores.
- **B.** Cognos 8 may use the 64-bit client drivers for connecting to the content store.
- **C.** Cognos products must use the provided 32-bit drivers, even if a 64-bit clientis installed.
- **D.** The 64bit Client should be uninstalled and a 32-bit Client installed in its place.

**Answer: C** 

#### **Question No: 14**

What setting must be enabled in order to support Siteminder's cross-site script checking along with CAF enabled?

- A. Secure Socket Layer (SSL)
- B. Database Auditing
- C. Third-Party XSS checking
- **D.** Windows Authentication

**Answer: C** 

#### **Question No: 15**

When installing Content Manager to use a DB2 content store, what will the installation require?

- **A.** Classes12.jar orOJDBC.jar copied into the Cognos 8 directories
- B. A DB2 database and DB2 client on the Content Manager server
- C. JSQLConnect.jar or generic JDBC driver copied into the Cognos 8 directories
- **D.** DB2 client software and the DB2 JDBC driver on the Content Manager server

**Answer: D** 

#### **Question No: 16**

What occurs if Cognos 8 is installed and configured to use an existing content store that is for an earlier version of ReportNet?

- **A.** A Memory Leak will slowly consume all the database memory.
- **B.** A Cognos 8 will automatically upgrade the old schema to the new Cognos 8 version.
- **C.** Cognos 8 will warn that an upgrade will occur and allow the old schema to be used.
- **D.** The install will fail because older content must be imported into a new database.

**Answer: B** 

# **Question No: 17**

Which of the following is true when Cognos 8 gateway receives a request?

- **A.** Requests are passed directly to the Cognos content manager.
- **B.** A connection is created to the database server.
- **C.** The requests are directed to Access Manager.
- **D.** Passwords are encrypted to ensure security.

**Answer: D** 

#### **Question No: 18**

What is true about the Cognos gateway?

- **A.** It can reside on multiple web servers in a single environment.
- **B.** Improbability Drive Algorithms (IDA) are used to detectintrusions.
- **C.** ISAPI is the default gateway.
- **D.** It must be installed on the user's desktop.

**Answer: A** 

#### **Question No: 19**

What is true about bind credentials when securing Cognos 8 with LDAP?

- **A.** Always use bind credentials when securing a V3 LDAP.
- B. Anonymous bind credentials are not allowed for Cognos 8.
- **C.** To have the LDAP authentication provider bind to the directory server, use valid credentials with Search and Read rights.
- **D.** If no values are specified, the LDAP authentication provider bindsbased on the Windows log in information.

**Answer: C** 

#### **Question No: 20**

When using Tomcat, which Cognos 8 component is both the first and also the last component to handle requests from a user?

- A. Access Manager
- **B.** Gateway
- C. Dispatcher
- D. BIBus

**Answer: B** 

#### **Question No: 21**

What is required when securing Cognos 8 with Active Directory 2003?

- A. Extending the schema with a Series 7 namespace
- **B.** A valid host/port
- C. Two domain controllers
- **D.** Active Directory Schema rights

**Answer: B** 

# **Explanation:**

**QUESTIONNO: 22** 

Which is true about how Framework Manager is used?

- A. It is a metadata modeling tool for Cognos 8.
- B. It is used to refresh Cognos Power Cubes.

# **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





# Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2015, All Rights Reserved.