

100% Money Back
Guarantee

Vendor:SAP

Exam Code:C_TBIT44_731

Exam Name:SAP Certified Development Associate -
Process Integration with SAP NetWeaver 7.31

Version:Demo

QUESTION 1

What are the key capabilities of SAP NetWeaver Process Integration? (Choose three)

- A. Connectivity
- B. Mapping
- C. Routing
- D. Master data management
- E. Multi-channel access

Correct Answer: ABC

QUESTION 2

How is a product defined in the System Landscape Directory catalog?

- A. As a business system
- B. As a technical system
- C. As a unit that is installable, renewable, and delivered
- D. As a unit consisting of features, best practice tools, and templates

Correct Answer: C

QUESTION 3

Which of the following are characteristics of integration flows? (Choose two)

- A. You can work with the Integration Directory and Enterprise Service Repository in one common UI.
- B. Once the scenario has been configured in the Integration Directory using an advanced configuration object, the integration flow object is generated.
- C. You can navigate directly from an integration flow to its Enterprise Services Repository objects (interfaces and mapping objects).
- D. Integration flows can only be transported using the Transport Management System.
- E. You can use metadata defined in the Integration Directory.

Correct Answer: AC

QUESTION 4

Why would you use message mapping rather than XSLT mapping?

- A. Only message mapping can be used in operation mapping
- B. Only message mapping offers the capability to integrate Java methods.
- C. Only message mapping can be developed outside the SAP NetWeaver PI development environment
- D. Only message mapping is part of the SAP NetWeaver PI development environment

Correct Answer: D

QUESTION 5

Which of the following interface patterns uses the Web service runtime? (Choose three)

- A. Stateless
- B. Stateless (compatible with XI 3.0)
- C. Tentative Update and Compensate/Confirm (TUandC/C)
- D. Stateful E. Synchronous

Correct Answer: ACD

QUESTION 6

Which of the following describes a consumer proxy?

- A. A consumer proxy is a language-specific implementation of an outbound service interface.
- B. A consumer proxy is a Java class used in the Advanced Adapter Engine.
- C. A consumer proxy is an ABAP program used in ALE distribution.
- D. A consumer proxy is a language-specific implementation of an inbound service interface.

Correct Answer: A

QUESTION 7

Which of the following configuration objects can you use to activate XML validation of a message payload in SAP NetWeaver Process Integration? (Choose three)

- A. Integrated configuration
- B. Interface determination
- C. Receiver agreement

- D. Receiver determination
- E. Sender agreement

Correct Answer: ACE

QUESTION 8

You have created a message mapping using drag and drop from the source to the target element. When testing the mapping by entering a single value for the source element, you notice that the target element has been created with 3 occurrences. Each target element occurrence is filled with the same value as the source element.

What could be the reason for this behavior?

- A. The data type for the source element has the occurrence property maxOccurs=3.
- B. The data type for the source element has the occurrence property minOccurs=3.
- C. The data type for the target element has the occurrence property maxOccurs=3.
- D. The data type for the target element has the occurrence property minOccurs=3.

Correct Answer: D

QUESTION 9

Which conversion parameters are available in the SOAP adapter? (Choose two)

- A. Keep Headers
- B. Do Not Use SOAP Envelope
- C. Sync/Async Bridge
- D. File Content Conversion

Correct Answer: AB

QUESTION 10

In which sequence are configuration objects processed in the central Integration Engine at runtime?

- A. Interface Determination Receiver Agreement Receiver Determination
- B. Receiver Determination Interface Determination Receiver Agreement
- C. Receiver Agreement Receiver Determination Interface Determination
- D. Interface Determination Receiver Determination Receiver Agreement

Correct Answer: B

QUESTION 11

What is the purpose of the JMS adapter?

- A. To communicate with a mail server asynchronously
- B. To communicate with a mail server synchronously
- C. To communicate with a messaging system synchronously
- D. To communicate with a messaging system asynchronously

Correct Answer: D

QUESTION 12

Your mapping program concatenates 2 source elements in order to create a target element. The target element has the max. occurrence property set to "1...unbounded". During testing, the 1st source element occurs 2 times; the 2nd source element occurs 4 times. How many times does the target element appear in the target message?

- A. 8
- B. 4
- C. 6
- D. 2

Correct Answer: B