Exam : E20-535

Title: Networked Storage - NSImplementation

Version : Demo

1. The NAS solution requires that file system fs01 be mounted to /mp1. CIFS users must not see the .etc and lost&found objects when they access the CIFS share.

Which procedure meets this requirement?


A. Mount fs01 to /mp1 Create the directory /mp1/share Export /mp1/share as a CIFS share

B. Mount fs01 to /mp1 Create the directory /mp1/share Unmount fs01 from /mp1 Mount fs01 to /mp1/share Export /mp1/share as a CIFS share

C. Create the mountpoint /mp1/share Mount fs01 to /mp1/share Export /mp1/share as a CIFS share

D. Mount fs01 to /mp1 Export /mp1/ as a CIFS share Mark .etc and lost&found as hidden **Answer:** A

2.Click the Exhibit button.



What will happen if one of the trunking network paths fails (indicated by the X)?

- A. I/O will wait until the failed path becomes available
- B. The Data Mover will failover
- C. I/O will pass on both paths
- D. All I/O will pass on active path only

Answer: D

3. Which NS600 cache data is written to the vault area in the event of a power failure?

- A. Write and read
- B. Write
- C. Read
- D. NVRAM
- Answer: B

4. What are two [2] accurate statements about Virtual Data Movers [VDMs]?

- A. support NFS only
- B. do not support CDMS
- C. do not support CPU/memory resource allocation
- D. support CIFS and NFS

Answer: B,C

5. When the getreason command is used, which status identifies that a Data Mover needs to be replaced? A. connected

- B. contacted
- $C. \ powered \ off$
- D. dos booted
- Answer: C

6. From where will the data be read when a bitmap value of a data block in a SnapSure checkpoint is 1?


- A. cache
- B. bitmap
- C. PFS
- D. SavVol

Answer: D

7.DRAG DROP

Number the statements, in order, about Celerra Replicator's periodic update to the SavVol.

Number the statements, in order, about Celerra Replicator's periodic update to the SavVol.



Re-read superblock of PFS

Complete deltas to SavVol (background)

Answer:

Number the statements, in order, about Celerra Replicator's periodic update to the SavVol.

Order	Statements in Order
1 Paus	e PFS
2 Re-re	ad superblock of PFS
3 Com	olete deltas to SavVol (backgroun)
4 Resu	me PFS
Pause	PFS
Resum	e PFS
Re-read	l superblock of PFS
Comple	te deltas to SavVol (background)

- 8. What is the fully functional state of a Virtual Data Mover?
- A. loaded
- B. TempUnloaded
- C. mounted
- D. PermUnloaded

Answer: A

9.What is one characteristic of internal usermapper?

- A. runs on Control Station
- B. requires post DART code installation on the Control Station from the Celerra Application disk
- C. coexist with External usermapper is recommended
- D. no separate installation required

Answer: D

10. What is the default authentication method used in Windows Active Directory, Native Mode?

- A. LM
- B. Kerberos
- C. NIS
- D. NTLM

Answer: B

- 11.What is one characteristic of SnapSure?
- A. can mount a checkpoint on any Data Mover
- B. can delete a checkpoint in any order

- C. checkpoint is independent of its Production File System
- D. checkpoints are stored in the same volume as the Production File System

Answer: B

12. Which NS600 cache data is written to the vault area in the event of a power failure?

- A. NVRAM
- B. Read
- C. Write
- D. Write and read

Answer: C

13.Click the Exhibit button.

Celerras	CIFS Shares Show CIFS Shares for: 🖉 All Data Movers 💌							
erver_3	Na	me <mark>∦File</mark> Me ≜ Syste	em B	Path	CIFS Servers	Data Mover	Comment	
server_5	☐ sha	re1 demo	_fs_2	\demo_fs_2\abcdef	fenway	server_2	abcdef on demo.	
server_6	☐ <u>sha</u>	re2 demo	_fs_2	\demo_fs_2\xyz	fenway, wrigley	server_2	xyz on demo_fs	
E Storage Systems	□ sha	re3 demo	_fs_2	\demo_fs_2	wrigley	server_2	Root of demo_fs	
system:chamI	☐ sha	re4 demo	_fs_3	\demo_fs_3\jkl	All	server_3	jkl on demo_fs_:	
File Systems Quotas Checkpoints CIFS Shares NFS Exports Network Block Se Replicator Network Events Notifications Inventory Task Status CLI Commands					New	Delete		

Which three [3] shares are visible on \\fenway?

What is recommended for high availability in a high application transaction environment?

- A. NFS
- B. FTP
- C. TFTP
- D. CIFS

Answer: A

15.Which assigns the Fibre Channel WWN?

- A. Operating system
- B. Hardware manufacturer
- C. Name server
- D. System Administrator

Answer: B

Trying our product !

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





One Year Free Update Free update is available within One ter your purchase. After One ar, you will get 50% discounts for ng. And we are proud to ast a 24/7 efficient Customer t system via Emai

Money Back Guarantee To ensure that you are spending on

quality products, we provide 100% money back guarantee for 30 days from the date of purchase

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & pea of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

100%

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.