

100% Money Back
Guarantee

Vendor:SAP

Exam Code:E_BW4HANA204

Exam Name:SAP Certified Application Specialist –
SAP BW/4HANA 2.0

Version:Demo

QUESTION 1

You want to load data from SAP Ariba to SAP BW/4HANA. Which object in SAP BW/4HANA does SAP recommend to use for this scenario?

- A. DataStore of type ODP_CDS
- B. Write Interface-Enabled DataStore Object
- C. Direct Update DataStore Object
- D. DataStore of type ODP_HANA

Correct Answer: A

QUESTION 2

You want to create an SAP BW Query showing data loading statistics provided by the SAP BW/4HANA statistical analysis.

Which object does SAP deliver to provide data for your SAP BW Query?

- A. Open ODS View
- B. ABAP CDS View
- C. BadI Provider
- D. DataStore object (advanced)

Correct Answer: B

QUESTION 3

You would like to implement a virtual scenario in your SAP BW/4HANA system. Which approach does SAP recommend for this kind of scenario? Note: There are 3 correct answers to this question.

- A. Integrate external data into SAP BW/4HANA based on the Write Interface-enabled DataStore object.
- B. Model a CompositeProvider which combines data from multiple SAP BW/4HANA InfoProviders and SAP HANA Views.
- C. Generate external SAP HANA view of SAP BW/4HANA InfoProviders to consume SAP BW/4HANA data in SAP HANA.
- D. Define an Open ODS View which integrates an SAP HANA table into SAP BW/4HANA.
- E. Load SAP HANA data into SAP BW/4HANA InfoProviders based on the Operational Data Provisioning (ODP) framework.

Correct Answer: BCD

QUESTION 4

You use the SAP BW/4HANA Transfer Cockpit to prepare your SAP BW system for an in- place conversion to SAP BW/4HANA.

Which functions are provided by this cockpit? Note: There are 2 correct answers to this question.

- A. Execute Pre-Checks
- B. Transfer 3.x DataFlow into 7.x DataFlows
- C. Transfer Bex Queries into BW Queries
- D. Transfer Standard Authorizations

Correct Answer: AD

QUESTION 5

Which effects do you expect for a BW Query if you set the SAP HANA runtime mode, called ""Operations in SAP HANA"", to the value ""^(Standard)""? Note: There are 2 correct answers to this question.

- A. A cluster of InfoProviders with a homogenous mapping is created (expert mode 3).
- B. The user can manually choose the expert mode 3,8 or 9 by himself.
- C. The system supports the calculation of condition (expert mode 9).
- D. The system supports formulas with a complex currency or unite (expert mode 8).

Correct Answer: AD

QUESTION 6

What are valid reason to generate external SAP HANA View for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAO ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BW Query
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

QUESTION 7

You want to use a referential join for a combination of transactional data (left table) and master data (right table).

How will this referential join be processed? Note: there are 2 correct answers to this question.

- A. It is executed only when columns from both tables are requested
- B. It shows all transactional data with an existing master data record
- C. It shows all master data to assure the referential integrity
- D. It is an inner join that assumes that referential integrity is given

Correct Answer: AD

QUESTION 8

You model an Open ODS View on an SAP HANA table. You would like to persist the data in an SAP BW/4HANA object based on the `Generate Dataflow...` function.

Which objects are created automatically? Note: there are 3 correct answers to this question.

- A. DataStore object (advanced)
- B. DataSource
- C. InfoPackage
- D. InfoSource
- E. Transformation

Correct Answer: ABE

QUESTION 9

What is a valid reason to run the program `RODPS_OS_EXPOSE`?

- A. To use an SAP ABAP CDS View for ODP
- B. To have an overview of ODP Consumers of a DataSource
- C. To release a customer developed DataSource for ODP
- D. To investigate extractor logic in an SAP delivered DataSource For ODP

Correct Answer: C

QUESTION 10

You enable a DataStore object (advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA
- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

QUESTION 11

Why do you create a Semantic Group?

- A. To create folders for SAP BW Query elements
- B. To load InfoObject attribute with Enhanced Master Data Update
- C. To generate multiple similar DataStore objects (advanced)
- D. To define settings for Data Tiering Optimization (DTO)

Correct Answer: D

QUESTION 12

What do the Remote Conversion approach and the Shell Conversion approach have in common? Note: There are 3 correct answers to this question.

- A. Both approaches uninstall the unsupported BW Add-ons from the sending BW system as the first activity
- B. Both approaches convert unsupported object types during import into the new SAP BW/4HANA system
- C. Both approaches result in a SAP BW/4HANA system which has a new system ID
- D. Both approaches require the SAP BW/4HANA Starter Add-on to be installed on the sending system
- E. Both approaches are setup by installing required SAP notes via the SAP BW Notes Analyzer

Correct Answer: BCE