

100% Money Back
Guarantee

Vendor:Huawei

Exam Code:H12-311

Exam Name:HCIA-WLAN V3.0

Version:Demo

QUESTION 1

Which of the following AP modes does not belong to the WDS network?

- A. Root AP
- B. Middle AP
- C. Bridge AP
- D. Leaf AP

Correct Answer: C

QUESTION 2

Which of the following two are PoE's power supply standards (Select 2 Answers)?

- A. IEEE 802.3ae
- B. IEEE 802.3af
- C. IEEE 802.3as
- D. IEEE 802.3at

Correct Answer: BD

QUESTION 3

The AC6605 supports three ways to establish AP and AC interworking. What are the options (Select 3 Answers)?

- A. Offline increase AP
- B. Automatically discover AP and go online normally
- C. Automatically discover the AP and confirm the online
- D. Find the AP through multicast and automatically go online

Correct Answer: ABC

QUESTION 4

Among the following obstacles, has the greatest loss of wireless signals.

- A. Gypsum ceiling
- B. Glass

- C. 120mm Brick wall
- D. 200mm Concrete wall

Correct Answer: D

QUESTION 5

Huawei AP6310AP is an outdoor AP that supports WDS and implements point-to-multipoint wireless bridging.

- A. True
- B. False

Correct Answer: B

QUESTION 6

What are the technical advantages of 802.11n over 802.11a/b/g?

- A. Maximum theoretical transmission rate is increased to 600Mbps
- B. Downward compatible with 802.11a/b/g protocol
- C. Support MIMO technology
- D. The other three items are correct

Correct Answer: C

QUESTION 7

The following is true for WLAN networking configuration (Select 3 Answers).

- A. The user should try to ensure the detailed planning data when performing data planning, which will greatly facilitate the later configuration.
- B. Before the AP is configured, the AP must be online.
- C. Configure the WMM template to be directly bound to the antenna.
- D. WMM template is bound to the radio template.

Correct Answer: ABD

QUESTION 8

The AP or AC performing the connectivity test must be online.

- A. True
- B. False

Correct Answer: A

QUESTION 9

The following description of the service VLAN is correct (Select 3 Answers).

- A. Mainly responsible for transmitting data when WLAN users access the Internet.
- B. PVID VLAN under WLAN ESS interface
- C. Service VLAN under the service set template
- D. If data tunneling is used, user data will not be transmitted through the service VLAN.

Correct Answer: ABC

QUESTION 10

The port number of the control packet of the CAPWAP tunneling protocol is

- A. 1645
- B. 1646
- C. 5246
- D. 5247

Correct Answer: D

QUESTION 11

What is the area covered by a single AP?

- A. BSA
- B. ESA
- C. SSA
- D. TSA

Correct Answer: A

QUESTION 12

How many subcarriers can 802.11n use to transmit data in 20M mode?

A. 48

B. 52

C. 54

D. 56

Correct Answer: B