

100% Money Back
Guarantee

Vendor:HP

Exam Code:HP0-M40

Exam Name:HP Network Automation 9.x Software

Version:Demo

QUESTION 1

What is the supported Cisco proprietary implementation of the Authentication, Authorization, and Access service?

- A. TACACS
- B. RSA SecureID
- C. Radius
- D. Cisco IOS

Correct Answer: A

QUESTION 2

What do you use to add new devices from a file?

- A. Import Device task
- B. New Device option
- C. New Device wizard
- D. Synchronize Devices task

Correct Answer: A

QUESTION 3

You are creating a policy rule. What is a valid rule type that can be created?

- A. Hardware
- B. Device
- C. Diagnostics
- D. Driver

Correct Answer: C

QUESTION 4

What does the HP Network Automation traceroute feature use to track packet traffic between routers on the network?

- A. ICMP echo
- B. complete device session logs

C. SNMP

D. system and network event logs

Correct Answer: A

QUESTION 5

On which page can users check the compliance of configurations they deploy?

A. Configuration Compliance

B. Edit and Deploy Configuration

C. Configuration Policy

D. Rules and Exceptions

Correct Answer: B

QUESTION 6

By default, which method does HP Network Automation use first to attempt to snapshot devices?

A. Rlogin with TFTP

B. SSH with CLI - screenscrape

C. SSH with TFTP

D. Telnet with CLI - screenscrape

Correct Answer: C

QUESTION 7

Which group can contain devices and other groups?

A. Realm

B. Child

C. Inventory

D. Leaf

Correct Answer: C

QUESTION 8

You are editing and deploying a configuration in HP Network Automation. What is being updated on the device?

- A. gateway and running
- B. current and startup
- C. running and startup
- D. startup and gateway

Correct Answer: C

QUESTION 9

Which script type is written in the native operating system language for a network device?

- A. Basic
- B. Advanced
- C. Auto-remediation
- D. Expect

Correct Answer: A

QUESTION 10

Click the Exhibit button.

From: HP on NP
Sent: Thursday, January 10, 2010 1:00 PM
To: John Smith
Subject: Request for Approval
W.Wayne has requested the Snapshot task for your approval
on or before 2010-02-06 00:00:00.0 Task Name: Snapshot
Description: Taking a snapshot of QA-WS-2
Priority: High
Approval required on or before: 2010-02-06 00:00:00.0
Originator: W.Wayne
Devices Affected: 172.22.123.26
Task Frequency: Repeat once
Task Start Date: 2010-02-06 15:00:00.0
You may approve, reject, or request clarification by
accessing HP Network Automation at
<http://W.Wayne/task.view.htm/taskID=10023>

The exhibit indicates that W.Wayne is the task originator and the task is being sent to an approver. Where are originators and approvers set up?

- A. Workflow wizard
- B. New Task wizard
- C. Snapshot Configuration wizard
- D. AAA (authentication, authorization, and accounting) wizard

Correct Answer: A

QUESTION 11

What do you use to view the software version and compliance rating currently assigned to each device?

- A. Software Images page
- B. Software Levels report
- C. Device Software report
- D. Device Levels page

Correct Answer: C

QUESTION 12

During the installation of HP Network Automation, existing services listening on Port 514 often need to be changed to avoid port conflicts with NA .Which service normally runs on Port 514?

- A. RMI
- B. syslog
- C. SNMP
- D. Oracle

Correct Answer: B