Vendor:HP

Exam Code:HPE2-T36

Exam Name: Using HPE OneView

Version: Demo

QUESTION 1

A server that is managed by HPE OneView is having issues, and HPE support has requested that you reapply the server profile. What action must first be executed?

A. Delete the server profile template.

B. The server hardware must be powered off.

C. Reboot the HPE OneView appliance.

D. Rename the server profile.

Correct Answer: B

QUESTION 2

What does HPE OneView use to define the network connectivity for an Enclosure Group?

A. Logical Switch Group

B. Logical Interconnect Group

C. Smart Link

D. network set

Correct Answer: B

QUESTION 3

HOTSPOT

A customer wants to restrict certain business units from accessing resources owned by other groups, click the area where you would begin to configure this type of security measure.

Hot Area:



Correct Answer:



QUESTION 4

An administrator wants to create new volumes using a server profile. What limitations must the administrator consider?

A. Only private volumes can be created through a server profile.

B. Volumes created through the server profile cannot be bigger than 1TB.

C. A volume template must be used to create new volumes using server profile.

D. Creating shared volumes using server profiles is possible only with Flat SAN implementation.

Correct Answer: A

QUESTION 5

DRAG DROP

Match the HPE OneView interconnect module state to its definition.

Select and Place:

State	Definition	
Configuring	The interconnect module is actively passing traffic.	
Unsupported	A module is found within an interconnect bay that is supposed to be empty.	
Inventory	The interconnect module configuration is being applied.	
Unmanaged		
Configured		
Maintenance		

Correct Answer:

State	Definition
Unsupported	
Inventory	
Unmanaged	
	The interconnect module is actively passing traffic. — Configured
	A module is found within an interconnect bay that is supposed to be empty. — Maintenance
	The interconnect module configuration is being applied. — Configuring

---

QUESTION 6

A customer has a single BladeSystem environment running Virtual Connect and VMware ESXi. The customer wants to manage the enclosure with HPE OneView. What must the customer consider?

A. The Management Ring cannot talk to the production VLAN.

B. The HPE OneView appliance cannot reside in an enclosure it manages.

C. Virtual Connect Enterprise Manager (VCEM) is not supported with VMware.

D. HPE OneView for VMware vCenter is licensed separately at an additional cost.

Correct Answer: B

QUESTION 7

What unique identifier does HPE OneView use to interact with each resource individually?

A. WWN

B. URI

C. MAC address

D. serial number

Correct Answer: B

QUESTION 8

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

A. provisioning type

B. drive type

C. sharing mode

D. storage type

E. deduplication method

Correct Answer: AC

QUESTION 9

A customer has a mixture of Gen8 and newer DL and BL devices. They want to enable support automation and run inventory reports on their devices. They are currently using Insight Control but are considering HPE OneView. They can\\'t have any downtime on the devices if they change management strategies. What option is most efficient for them?

A. Move to HPE OneView Advanced with Remote Support enabled.

B. Move to HPE OneView Standard with Remote Support enabled.

C. Stay on Insight Control and activate a Proactive Care contract.

D. Stay on Insight Control and enable Insight Online.

Correct Answer: A

QUESTION 10

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

A. Smartcard

B. Self-signed certificate

C. SMS

D. One-time Passwords

Correct Answer: A

QUESTION 11

What permissions are included with the user role: "Server profile operator"?

A. update server profile templates

B. delete server profiles

C. create new server profiles

D. update server profiles

Correct Answer: D

QUESTION 12

Refer to the exhibit.



A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

A. Synergy doesn\\'t support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.

B. HA is not supported in Interconnect Bay set 3.

C. HA requires multiple frames in the fabric domain.

D. HA is only supported in mixed speed environments.

Correct Answer: C