

100% Money Back
Guarantee

Vendor:CompTIA

Exam Code:LX0-103

Exam Name:CompTIA Linux+ [Powered by LPI] 1

Version:Demo

QUESTION 1

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Correct Answer: C

QUESTION 2

What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

- A. To create RAID 9 arrays.
- B. To dynamically change the size of logical volumes.
- C. To encrypt logical volumes.
- D. To create snapshots.
- E. To dynamically create or delete logical volumes.

Correct Answer: BDE

QUESTION 3

What do the permissions -rwsr-xr-x mean for a binary file when it is executed as a command?

- A. The command is SetUID and it will be executed with the effective rights of the owner.
- B. The command will be executed with the effective rights of the group instead of the owner.
- C. The execute flag is not set for the owner. Therefore the SetUID flag is ignored.
- D. The command will be executed with the effective rights of the owner and group.

Correct Answer: C

QUESTION 4

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache

- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

Correct Answer: E

QUESTION 5

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command touch on the old path.
- E. By mounting the new filesystem on the original path of the data.

Correct Answer: CE

QUESTION 6

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

Correct Answer: Answer: quotacheck

QUESTION 7

Which of the following commands will NOT update the modify timestamp on the file /tmp/myfile.txt?

- A. file /tmp/myfile.txt
- B. echo "Hello" >/tmp/myfile.txt
- C. sed -ie "s/1/2/" /tmp/myfile.txt
- D. echo -n "Hello" >>/tmp/myfile.txt
- E. touch /tmp/myfile.txt

Correct Answer: A

QUESTION 8

Which of the following commands overwrites the bootloader located on /dev/sda without overwriting the partition table or any data following it?

- A. dd if=/dev/zero of=/dev/sda bs=512
- B. dd if=/dev/zero of=/dev/sda bs=512 count=1
- C. dd if=/dev/zero of=/dev/sda bs=440 count=1
- D. dd if=/dev/zero of=/dev/sda bs=440

Correct Answer: C

QUESTION 9

After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

- A. kill -HUP \$(pidof grub)
- B. grub-install
- C. grub
- D. No action is required

Correct Answer: D

QUESTION 10

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -KI /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi /etc/exports

Correct Answer: B

QUESTION 11

Which of the following Linux filesystems preallocates a fixed number of inodes at the filesystem's make/ creation time and does NOT generate them as needed? (Choose TWO correct answers.)

- A. ext3

- B. JFS
- C. ext2
- D. XFS
- E. procfs

Correct Answer: AC

QUESTION 12

When running the command

```
sed -e "s/a/b/" /tmp/file >/tmp/file
```

While /tmp/file contains data, why is /tmp/file empty afterwards?

- A. The file order is incorrect. The destination file must be mentioned before the command to ensure redirection.
- B. The command sed did not match anything in that file therefore the output is empty.
- C. When the shell establishes the redirection it overwrites the target file before the redirected command starts and opens it for reading.
- D. Redirection for shell commands do not work using the > character. It only works using the | character instead.

Correct Answer: C