

Vendor: Microsoft

Exam Code: MB6-894

**Exam Name:** Development, Extensions, and Deployment for Microsoft Dynamics 365 Finance

Version: Demo

#### **QUESTION 1**

You are an Independent Software Vendor (ISV) developer working on a solution that extends the Commerce Runtime (CRT) to handle new requests for an app deployed to tablets and cell phones.

You are in the developer topology and need to troubleshoot an error and check for events.

Under which event log in Event Viewer should you look to see the events?

- A. Commerce-OnlineStore
- B. Commerce-ModernPos
- C. Commerce-RetailServer
- D. Commerce-LoggingProvider

Correct Answer: B

Reference: https://docs.microsoft.com/en-us/dynamics365/unified-operations/retail/dev-itpro/retail-component-events-diagnostics-troubleshooting

#### **QUESTION 2**

You are an Independent Software Vendor (ISV) developer working in the "ABCModule" module in an existing solution.

You create a new label in the XYZ-en-US.label.txt file with a Label ID of "LabelText", a Label of "Text for the Label", and a Description of "ABC".

How should you reference this new label in the Label property of an artifact?

- A. @XYZ:LabelText
- B. @ABCModule.XYZ[LabelText]
- C. @ABCModule.XYZ.LabelText
- D. @XYZ[LabelText]

Correct Answer: A

#### **QUESTION 3**

You are evaluating the following code:

```
01 Int variableA, variable;
02
                                      d.com
03 Try
04
05
          variableA = 5;
06
          variableB = 20;
07
          variableB -= variableA;
08
          if (variableB > variableA)
09
                                 ("An error has occurred.");
10
11
                            "WarfableB cannot be less than variableA");
12
13 }
14 Catch (Exception:
15 {
          error ("Process was aborted");
16
17 }
```

What is the output of this statement?

A. VariableB cannot be less than variableA

Process was aborted

An error has occurred.

VariableB cannot be less than variableA

Process was aborted

C. An error has occurred.

Process was aborted

D. An error has occurred.

VariableB cannot be less than variableA

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

References: https://msdn.microsoft.com/en-us/library/aa893385.aspx

#### **QUESTION 4**

You are an Independent Software Vendor (ISV) developer who is part of a team that is developing a new Microsoft Dynamics 365 for Finance and Operations solution for a client.

Another developer adds a resource item to the model.

In which two ways can you use this resource? Each correct answer presents a complete solution.

A. as a visual element of an Image control

B. as the banner of the application dashboard

C. as an icon on a Tile item

D. as an Assembly in the model

Correct Answer: BC

#### **QUESTION 5**

You are a developer for an Independent Software Vendor (ISV).

You want to create packages for a Microsoft Dynamics 365 for Retail environment.

Which application tool serves as the storage and development area for packages?

A. Asset Library

B. Lifecycle Services (LCS)

C. Runbook

D. Visual Studio Team Services (VSTS)

Correct Answer: B

# **QUESTION 6**

You are working for a client in a new Microsoft Dynamics 365 for Finance and Operations developer virtual machine (VM). The client has existing models and solutions checked into version control with Visual Studio Team Services.

You connect to the Visual Studio Team Services site and want to access the client\\'s existing models to view X++ source code in the Application Object Tree (AOT).

To achieve this goal, which two directories do you need to map to your local VM? Each correct answer presents part of the solution.

A. Main

B. Projects

- C. BuildProcessTemplates
- D. Metadata

Correct Answer: BD

#### **QUESTION 7**

You manage a Microsoft Dynamics 365 for Retail environment.

You are preparing to deploy packages.

Which two types of items can you deploy as a package? Each correct answer presents a complete solution.

- A. a Retail Software Development Kit (SDK)
- B. a binary hotfix to the Application Object Server (AOS) runtime components
- C. a Microsoft Dynamics 365 Language Pack
- D. an updated Dynamics 365 for Retail customization package

Correct Answer: BD

References: https://docs.microsoft.com/en-us/dynamics365/unified-operations/dev-itpro/deployment/install-deployable-package

#### **QUESTION 8**

You want to provide single login access for all of your Microsoft cloud-based applications, such as Microsoft Office 365 and Enterprise Resource Planning (ERP). Which component of the cloud architecture provides this functionality?

- A. UI Interaction Layer
- B. Fleet Management
- C. Shared Services
- D. Lifecycle Services (LCS)

Correct Answer: C

References: https://docs.microsoft.com/en-us/dynamics365/unified-operations/dev-itpro/dev-tools/application-stack-server-architecture

#### **QUESTION 9**

You are reviewing the basic set of primitive data types in Microsoft Dynamics 365 for Finance and Operations with a client. The client wants to know the best data type to use for a set of literals, such as states of nature or key reporting structures. Which type should you tell the client?

- A. Containers
- B. Enumerations
- C. Strings
- D. Anytype

Correct Answer: B

## **QUESTION 10**

You create a new form to allow users to edit records in the Customer table.

You need to prevent users from deleting any customer records.

What should you do to achieve this goal?

- A. On the CustTable data source on the form, set the Allow Delete property to No.
- B. Remove the Delete command button from the form.
- C. On the form design, set the View Edit Mode property to View.
- D. Implement an OnDeleted event handler to prevent the deletion.
- E. Set Allow Document Deleted Before dates for the records.

Correct Answer: A

### **QUESTION 11**

You are debugging in X++ and review the following method:

Which three best practices does this method violate? Each correct answer presents part of the solution.

- A. The method does not assign a value to the variable var2.
- B. The If and Else statements should not use braces because each statement is only one line.
- C. The parameter \_param should be assigned using the format \_param = \_param + var1.
- D. The method manipulated the parameter \_param.
- E. The return keyword is used in both the If and the Else statements.

Correct Answer: ADE

Your development team plans to use the new API exposed in Commerce Runtime (CRT) to set/get or validate values based on enum type. Which two benefits will your team gain from using the new API in this manner? Each correct answer presents a complete solution.

- A. They can directly map between Finance and Operations enums and CRT enums without manually creating the enums in CRT.
- B. They can have multiple partners and ISVs create extensible enums and use them independently without any code merge.
- C. They can skip certain standard checks used to override the entire calculate service by adding pre/post triggers for the validation check.
- D. They can easily override or add triggers at specific extension points instead of owning the entire service or operation.

Correct Answer: AC

Reference: https://docs.microsoft.com/en-us/dynamics365/unified-operations/fin-and-ops/get-started/whats-new-application-july-2017-update

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.