

100% Money Back
Guarantee

Vendor:NetApp

Exam Code:NS0-403

Exam Name:NetApp Certified Hybrid Cloud
Implementation Engineer

Version:Demo

QUESTION 1

You have received an internal request for persistent storage where the developer would like to be able to specify the filesystem. Which three NetApp Trident backend storage drivers would satisfy the requirement? (Choose three.)

- A. ontap-nas
- B. ontap-nas-economy
- C. solidfire-san
- D. eseries-iscsi
- E. ontap-.san

Correct Answer: BCD

QUESTION 2

A team is implementing automated builds of Dev/Test environments. The team must ensure consistent and repeatable environments.

In this scenario, which two actions will satisfy this requirement? (Choose two.)

- A. Ensure that build scripts log to the same output file.
- B. Use variables in build scripts to identify environments.
- C. Use infrastructure as code to build the environments.
- D. Ensure that a service desk ticket is automatically logged when an environment is built.

Correct Answer: AC

QUESTION 3

You have a hybrid storage environment with on-premises ONTAP 9.8 clusters and Cloud Volumes ONTAP for AWS 9.8 clusters. You require anomaly detection to automatically analyze data access patterns to identify risks from ransomware attacks.

In this scenario, which NetApp service satisfies this requirement?

- A. Cloud Sync
- B. Cloud Data Sense
- C. Cloud Volumes Service
- D. Cloud Secure

Correct Answer: A

QUESTION 4

An organization is implementing infrastructure as code to deploy NetApp Cloud Volumes ONTAP instances.

In this scenario, what are two ways in which this implementation improves operation efficiencies? (Choose two.)

- A. Defining the system as code makes it more secure.
- B. Best practices can be implemented directly into configurations.
- C. Deployment failures are automatically resolved by configuration management.
- D. System configurations can be version controlled.

Correct Answer: AC

QUESTION 5

You are working with your development team to automate the deployment of Cloud Volumes ONTAP instances across various hyperscalers. The developers are asking you for specific RESTful API calls and other details to facilitate the automation.

In this scenario, which two links would you provide to them? (Choose two.)

- A. the link to the API documentation on cloud.netapp.com
- B. the link to the Swagger interface found on the connector instance
- C. the link to the Swagger interface found on cloud.netapp.com
- D. the link to the API documentation on readthedocs.io

Correct Answer: BC

QUESTION 6

You are asked to configure NetApp Trident to provide dynamic and persistent storage using Azure NetApp Files to your Azure Kubernetes Service (AKS) cluster.

In this scenario, which three elements do you need to configure your Trident back end? (Choose three.)

- A. an App Registration or service principal
- B. an ONTAP cluster credential
- C. an Azure portal credential
- D. an Azure subscription ID
- E. an Azure location/region with a subnet delegated to Microsoft .Netapp/volumes

Correct Answer: ACD

QUESTION 7

As a DevOps engineer, you want a single tool that uses one automation language consistently across orchestration, application deployment, and configuration management.

In this scenario, which tool would you choose?

- A. Docker
- B. Ansible
- C. Selenium
- D. Octopus

Correct Answer: D

QUESTION 8

You have a StorageGRID solution with 1 PB of object data. All data is geographically distributed and erasure coded across three sites. You are asked to create a new information lifecycle management (ILM) policy that will keep a full copy of the grid in Amazon S3.

In this scenario, which component must be configured for the ILM policy?

- A. archive node
- B. additional 1 PB license
- C. Cloud Storage Pool
- D. Cassandra database

Correct Answer: A

QUESTION 9

You are using REST APIs to deploy and manage storage that is provided by NetApp Cloud Volumes ONTAP in Microsoft Azure. You are a federated user, and you want to communicate with an authenticated endpoint. In this scenario, how should you acquire the JWT access token?

- A. Use the API key generator.
- B. Use a JWT access token generator.
- C. Use the refresh token generator.
- D. Use an e-mail address and password

Correct Answer: A

QUESTION 10

You are deploying persistent storage for Kubernetes with NetApp Trident.

In this scenario, what are the two objects that you must create? (Choose two.)

- A. Trident virtual storage pool
- B. Trident backend
- C. Kubernetes StorageClass
- D. Trident volume

Correct Answer: BD

QUESTION 11

You want to manage your applications using NetApp Astra Control within your Azure account. Which two actions must be completed before accomplishing this task? (Choose two.)

- A. Manually provision Azure Blob storage
- B. Delegate a subnet to Azure NetApp Files.
- C. Set up a capacity pool.
- D. Export your Azure AD Administrator key and import it into Astra Control.

Correct Answer: BD

QUESTION 12

You used a Terraform configuration to create a number of resources in Google Cloud for testing your applications. You have completed the tests and you no longer need the infrastructure. You want to delete all of the resources and save costs.

In this scenario, which command would you use to satisfy the requirements?

- A. terraform untaint
- B. terraform apply
- C. terraform force--unlock
- D. terraform destroy

Correct Answer: D

