**Vendor:**Salesforce

**Exam Code:**OMNISTUDIO-DEVELOPER

**Exam Name:**Salesforce Certified OmniStudio Developer

**Version:**Demo

**QUESTION 1**

A customer sets up to LWC Omniscripts, one embedded into another. Account is set in a Set Values element in the parent Omniscript.

The AccountId set in the parent Omniscript is used to another Set Values element ContextAccountid in the embedded OmniScript. The embedded Omniscript is activated.

While previewing the OmniScript flow from the parent, it is found that Account is set correctly in the parent OmniScript. However. ContextAccountId in the embedded OmniScript is not set with the AccountId from parent Omniscript. On

previewing the embedded OmniScript individually, it is found that ContextAccountId is set correctly.

What is the reason for this? Refer to the exhibit below.



A. Both parent and embedded OmniScripts have the same element name for the Set values element.

B. A developer failed to include a Navigation Element to pass data from the parent OmniScript.

C. The LWC PubSub Message flag in the Set Values action of the parent has not been set.

D. The flag passDataJSON in the parent OmniScript in not configured correctly.

Correct Answer: C

---

**QUESTION 2**

A developer needs to configure a calculation procedure to calculation the sum of the entire Baseprice. What is the most

efficient way for the developer to meet this requirement?

A. Create a Postprocessor apex class to calculate the sum.

B. Add an Aggregation Step as SUM (BasePrice)

C. Add A Calculation Step as SUM (BasePrice).

D. Create a Preprocessor class to calculate the sum

Correct Answer: B

---

**QUESTION 3**

The OmniScript must retrieve device details stored in the Asset object and then call an external system to send troubleshooting commands via REST API to the device. Which two OmniScript element should the developer use to configure this functionality?

A. DataRaptor Extract Action

B. REST API Action

C. Navigation Action

D. SOQL Action

E. HTTP Action

Correct Answer: AE

---

**QUESTION 4**

A developer is configuring the API URL in an HTTP Action element within an Integration procedure.

What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

A. x%SetValues.Date%

B. (` Setvalues\\'] [ `Date\\']

C. %SetValues Date

D. {(SetValues. Date)}

Correct Answer: A

---

**QUESTION 5**

A developer is creating an OmniScript that provisions trail orgs to their customers. The following text block in the Omniscript uses a merge code to display the ID for the new trail org:

Welcome to Salesforce!
Your ID is %Details:Customer|0:ID%

During testing, the developer notices that the ID does not display. The data JSON is structured as shown below.

How should the developer correct the merge code in order for the ID to display?

```
{
  "Details": {
    "Customer": [
      {"ID":"123456"}
    ]
  }
}
```

A. To %sDetails: Customer|0: ID$

B. To %Details: Customer|1: ID%

C. To %%sDetails: Customer|0: ID%%

D. To %Details: Customer|n: ID%

Correct Answer: B

---

**QUESTION 6**

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard\\'s records in a Datatable.

A. {Records[0]}

B. {Records}

C. {Params records}

D. {recordId}

Correct Answer: B

---

**QUESTION 7**

A developer creates an OmniScript to update billing information. After analyzing the different types of customer interactions that occur at the company, the developer determines updating billing information should be included in the majority of customer interactions, which are represented by more than 20 different FlexCards.

What is the most efficient way for the developer to configure the action that invokes the OmniScript?

A. As an OS Action

B. As a Custom Action

C. As an OmniStudio Action

D. As a Lightning Action

Correct Answer: A

---

**QUESTION 8**

A healthcare company wants to enable its subscribers to add, edit, or delete dependents related to their policy Community portal. The developer on the project decides to use an MniScript.

How should the developer configure the OmniScript to provide this functionality?

A. Use an Edit Block element configured with Remote Actions.

B. Use an Edit Block element configured with SOQL statements.

C. Use an Input Block element and a DataRaptor Post Action element.

D. Use a Text Block element and a Remote Action element.

Correct Answer: A

---

**QUESTION 9**

Refer to the exhibit.

| Input Data | Output Data |
|---|---|
| ProductCode (Text) | BasePrice (#) |
| Search column | Search column |
| ACC154 | 10.23 |
| CAA876B | 20.36 |
| HRA320 | 12.99 |
| HRA320B | 13.99 |

All inputs to the Calculation Matric are set correctly. The Calculation Matrix has the following input:

```
{
  "input": {
    "ProductCode": "HRA320"
  }
}
```

What is the output?

A. Null

B. 13.99

C. 12.99,13.99

D. 12.99

Correct Answer: B

---

**QUESTION 10**

A developer is creating a FlexCard for a new Community page. The FlexCard will display case information along with actions to close the case and update the case, and it will be styled using the Community\\'s theme.

What must the developer do to configure the FlexCard for deployment in a Community?

A. Set the Deployment property in Card Configuration to "Community"

B. Add the FlexCard\\'s API name to the FlexCard Player component

C. Set the Target property in Publish Options to "CommunityPage"

D. Configure the Component Visibility in the Custom Component

Correct Answer: C

---

**QUESTION 11**

A developer is building an OmniScript and needs to save to Salesforce and to an AWS Order Management system.

Which OmniScript element could save all of this data?

A. DataRaptor Post Action

B. HTTP Action

C. Integration Procedure Action

D. DataRaptor Load Action

Correct Answer: C

---

**QUESTION 12**

Which calculation procedure version in the list would execute on 2/15/2020 at 12:00 PM?



Vlocity Calculation Procedures > bundlePriceQuote

**Vlocity Calculation Procedure Versions**

4 items · Sorted by Version Number · Updated a few seconds ago

| | Calculation Procedure Version Name | Version Number ↑ | Enabled | Start Date Time | End Date Time | Priority |
|---|---|---|---|---|---|---|
| 1 | bundlePriceQuote v1 | 1 | ✓ | 1/1/2020, 12:00 AM | 4/1/2020, 12:00 AM | 1 |
| 2 | bundlePriceQuote v2 | 2 | ✓ | 2/1/2020, 12:00 AM | 3/1/2020, 12:00 AM | 2 |
| 3 | bundlePriceQuote v3 | 3 | ✓ | 3/1/2020, 12:00 AM | 4/1/2020, 12:00 AM | 4 |
| 4 | bundlePriceQuote v4 | 4 | | 1/1/2020, 12:00 AM | 3/1/2020, 12:00 AM | 3 |

A. Version Number 1

B. Version Number 4

C. Version Number 2

D. Version Number 3

Correct Answer: C