Money Back Guarantee

Vendor:IBM

Exam Code: P2090-078

Exam Name:IBM InfoSphere MDM Standard Edition Technical Mastery Test v1

Version:Demo

QUESTION 1

Which task type occurs when two different member records share a unique identifier?

- A. Potential Overlay
- **B.** Potential Duplicate
- C. Potential Linkage
- D. Review Identifier

Correct Answer: D

QUESTION 2

What are the three main processes that the Algorithm controls?

- A. Standardization, Derivation, and Bulk Cross Match (BXM)
- B. Standardization, Bucketing, and Comparison
- C. Derivation, Bucketing, and Linking
- D. Comparison, Derivation, and Linking

Correct Answer: B

QUESTION 3

What is NOT part of the output of the Derive Data and Create UNLs (MPXDATA) job?

- A. Binary Comparison Files
- B. Comparison Strings (mpi_memcmpd)
- C. Comparison Scores
- D. Bucket Hash Assignments (mpi_membktd)

Correct Answer: C

QUESTION 4

What is the purpose of the FPF (False Positive Filter) comparison function?

- A. To weed out duplicate records that are auto-linked
- B. To flag records that were scored below the clerical review threshold, but still should be linked

C. To show records that were manually linked in Inspector, but done so falsely

D. To keep similar records, like twins or juniors/seniors, from auto-linking incorrectly

Correct Answer: D

QUESTION 5

Which perspective lets you \\'Compare Members\\'?

A. Configuration

B. Analytics

C. Bucket Analysis

D. LDAP

Correct Answer: B

QUESTION 6

How do you store your most commonly used Job settings?

- A. Right-click the Job results and click \\'Save Configuration\\'
- B. Check the \\'Save as a Template\\' option in Jobs
- C. They are automatically saved as \\'Favorites\\' in Jobs
- D. Deploy your Hub configuration and they are stored in the \\'jobs\\' project folder

Correct Answer: B

QUESTION 7

What is Initiate\\'s preferred Date format?

A. MM/DD/YYYY

- B. DD-MM-YYYY
- C. YY/MM/DD
- D. YYYYMMDD

Correct Answer: D

QUESTION 8

How can you look up the actual value that a Bucket Hash represents?

- A. Run a query against the mpi_DVDXBKT table
- B. Find a Bucket Hash, then run it in MPXPREP to convert it back to real data
- C. Double-click a Bucket Hash number in the Bucket Analytics perspective to see what it converts into
- D. Find a Member record or a Bucket Hash, then look it up using the Analytics perspective

Correct Answer: D

QUESTION 9

What table stores historical Enterprise Id changes?

- A. mpi_EntLink_id
- B. mpi_MemHist
- C. mpi_EntXEia_id
- D. mpi_MemXEia
- Correct Answer: C

QUESTION 10

In which table would you find the user ID of each person who has logged into an Initiate application?

- A. mpi_ScrtXUsr
- B. mpi_UsrProp
- C. mpi_UsrHead
- D. mpi_PassHead
- Correct Answer: C

QUESTION 11

Which field is an internal identifier that is generated by the Hub?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Correct Answer: A

QUESTION 12

Which table would store Edit Distance weights for comparing Driver\\'s License combined with a Postal Code?

- A. mpi_wgt2dim
- B. mpi_wgtHead
- C. mpi_wgt1dim
- D. mpi_wgtNval
- Correct Answer: A